

WEEKLY RETURN

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 6, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 6, 1900, was 25·6 per thousand of estimated population. This rate is 4·3 above that for the corresponding week of last year, but 1·6 below that for the previous week.

The lowest mortality was recorded in Leith, viz., 14·6 per thousand; and the highest in Paisley, viz., 35·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·7 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 234, being 19 below the number for the previous week.

The Mean Temperature was 37°·5, being 4°·7 above that for the week immediately preceding, but 0°·3 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 6, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Jan. 6, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	881	792	1159	46·2	27·0	37·5	1·60
GLASGOW, . . .	12,681	743,969	58·668	9·76	427	409	644	44·0	29·3	37·8	1·21
EDINBURGH, . . .	8,804	302,262	34·332	12·76	162	132	123	41·9	30·5	37·4	1·57
DUNDEE, . . .	4,162	167,584	40·265	11·78	62	70	133	42·2	29·6	36·7	2·48
ABERDEEN, . . .	6,795	144,966	21·334	16·19	94	60	89	44·2	31·0	37·7	2·52
LEITH, . . .	2,042	78,509	38·447	12·06	41	22	15	43·1	32·1	38·5	1·14
PAISLEY, . . .	3,538	78,258	22·119	15·90	39	53	75	46·2	30·0	38·5	0·41
GREENOCK, . . .	1,440	60,567	42·060	11·53	42	35	55	42·2	30·0	37·7	1·18
PERTH, . . .	2,122	30,820	14·524	19·62	14	11	25	42·0	27·0	35·9	2·26
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	886	651	1221	50·7	22·5	37·8	0·71

EDINBURGH : Printed for Her Majesty's Stationery Office by NEILL & CO., LTD., Old Fishmarket Close, and sold by JOHN MENZIES & CO., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

Week ending Saturday, JANUARY 6, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, January 6, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
	Deaths from All Causes.		Deaths of			Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.			
In Eight Towns,	25·6	2·1	792	160	199	0	27	6	3	9	2	17	2	234	32	167	33	8
GLASGOW, .	28·6	2·9	409	70	94	0	20	4	1	6	2	8	1	129	16	97	14	8
EDINBURGH, .	22·7	0·3	132	24	41	0	0	0	0	0	0	2	1	32	7	32	7	0
DUNDEE, . .	21·7	1·9	70	21	16	0	1	0	1	0	0	4	0	20	3	10	2	0
ABERDEEN, .	21·5	1·8	60	20	13	0	0	1	1	2	0	1	0	20	2	6	3	0
LEITH, . . .	14·6	0·7	22	4	8	0	0	0	0	0	0	1	0	8	1	3	1	0
PAISLEY, . .	35·2	4·0	53	10	18	0	4	0	0	1	0	0	1	17	2	7	3	0
GREENOCK, .	30·0	2·6	35	9	5	0	2	1	0	0	0	0	0	8	1	7	1	0
PERTH, . . .	18·5	0·0	11	2	4	0	0	0	0	0	0	0	0	0	0	5	2	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, January 7, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
	Deaths from All Causes.		Deaths of			Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.			
In Eight Towns,	21·3	2·6	651	130	140	0	9	13	9	20	5	22	0	123	38	136	58	16
GLASGOW, .	20·1	2·8	283	63	48	0	3	7	3	13	3	11	0	51	17	58	16	5
EDINBURGH, .	25·0	1·7	144	24	32	0	2	2	3	3	0	0	0	33	10	42	9	0
DUNDEE, . .	22·2	3·4	71	16	10	0	1	3	2	0	0	5	0	14	1	8	1	0
ABERDEEN, .	21·9	4·0	60	17	22	0	3	1	1	2	2	2	0	10	4	13	0	0
LEITH, . . .	19·5	0·7	29	3	8	0	0	0	0	0	0	1	0	5	1	3	0	0
PAISLEY, . .	18·3	1·4	27	2	7	0	0	0	0	1	0	1	0	4	1	5	0	0
GREENOCK, .	19·6	2·6	23	4	5	0	0	0	0	1	0	2	0	5	2	3	1	0
PERTH, . . .	23·7	0·0	14	1	8	0	0	0	0	0	0	0	0	1	2	4	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND

By Authority of the Registrar-General.

No. 2.

WEEK ENDING SATURDAY, JANUARY 13, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 13, 1900, was 23·0 per thousand of estimated population. This rate is 1·3 above that for the corresponding week of last year, but 2·6 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 20·5 per thousand; and the highest in Paisley, viz., 34·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 198, being 36 below the number for the previous week.

The Mean Temperature was 38° 9, being 1° 4 above that for the week immediately preceding, but 0° 8 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 13, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Jan. 13, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1022	711	278	49·0	28·0	38·9	0·63
GLASGOW, . . .	12,681	743,969	58·668	9·76	504	334	131	49·0	31·3	40·7	0·89
EDINBURGH, . . .	8,804	302,262	34·332	12·76	148	125	34	46·6	31·1	39·4	0·33
DUNDEE, . . .	4,162	167,584	40·265	11·78	115	66	47	42·2	29·3	37·0	0·36
ABERDEEN, . . .	6,795	144,966	21·334	16·19	81	60	18	43·0	28·0	36·8	0·14
LEITH,	2,042	78,509	38·447	12·06	55	37	9	47·7	33·8	40·7	0·73
PAISLEY,	3,538	78,258	22·119	15·90	60	52	25	47·9	34·0	41·1	0·25
GREENOCK,	1,440	60,567	42·060	11·53	44	24	11	48·2	30·0	39·8	1·55
PERTH,	2,122	30,820	14·524	19·62	15	13	3	44·0	29·0	36·1	0·82
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	981	663	246	51·8	22·5	39·7	1·08

Week ending Saturday, JANUARY 13, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 13, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include													
	From All Causes.		Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	23·0	2·1	711	143	190	0	20	4	14	6	16	5	198	24	145	7
GLASGOW,	23·3	2·6	334	71	73	0	12	3	3	4	7	1	93	13	73	5
EDINBURGH,	21·5	0·7	125	23	40	0	0	0	0	1	2	2	36	4	29	0
DUNDEE,	20·5	2·5	66	13	20	0	4	0	1	1	2	2	16	2	6	1
ABERDEEN,	21·5	1·8	60	9	19	0	0	0	0	1	3	0	18	2	13	1
LEITH,	24·5	0·0	37	11	8	0	0	0	0	0	0	0	12	1	10	0
PAISLEY,	34·6	5·3	52	12	14	0	2	1	1	2	0	2	15	1	9	0
GREENOCK,	20·6	1·7	24	3	9	0	2	0	0	0	0	0	5	1	3	0
PERTH,	21·9	1·7	13	1	7	0	0	0	1	0	0	0	3	0	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 14, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
	From All Causes.		Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·7	2·9	663	126	156	0	11	12	11	6	13	3	153	32	133	3	
GLASGOW,	21·2	2·6	299	54	61	0	3	5	4	2	4	3	68	20	57	3	
EDINBURGH,	26·3	3·7	151	24	46	0	2	4	2	10	1	2	0	31	7	39	0
DUNDEE,	22·9	1·6	73	16	21	0	1	0	1	1	0	2	0	24	1	5	0
ABERDEEN,	19·7	4·7	54	12	13	0	4	1	2	2	2	2	0	7	0	14	0
LEITH,	19·5	4·0	29	8	5	0	1	0	2	2	1	0	0	9	2	4	0
PAISLEY,	14·9	0·0	22	5	2	0	0	0	0	0	0	0	0	6	2	5	0
GREENOCK,	13·7	4·3	16	3	1	0	0	2	0	1	0	2	0	3	0	6	0
PERTH,	32·1	1·7	19	4	7	0	0	0	0	0	0	1	0	5	0	3	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND

By Authority of the Registrar-General.

No. 3.

WEEK ENDING SATURDAY, JANUARY 20, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 20, 1900, was 23·3 per thousand of estimated population. This rate is 2·0 above that for the corresponding week of last year, and 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 19·3 per thousand; and the highest in Perth, viz., 27·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 195, being 3 below the number for the previous week.

The Mean Temperature was 39°·5, being 0°·6 above that for the week immediately preceding, but 0°·3 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 20, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Jan. 20, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1006	721	158	50·2	27·0	39·5	0·97
GLASGOW, . . .	12,681	743,969	58·668	9·76	503	340	67	50·0	34·2	41·5	1·48
EDINBURGH, . . .	8,804	302,262	34·332	12·76	160	135	27	47·8	32·0	39·7	0·62
DUNDEE, . . .	4,162	167,584	40·265	11·78	93	70	25	47·0	29·8	38·0	0·38
ABERDEEN, . . .	6,795	144,966	21·334	16·19	95	64	17	42·8	27·0	37·2	0·44
LEITH,	2,042	78,509	38·447	12·06	65	36	7	50·2	34·9	40·7	0·38
PAISLEY, . . .	3,538	78,258	22·119	15·90	38	29	5	48·2	34·5	40·7	0·78
GREENOCK, . . .	1,440	60,567	42·060	11·53	39	31	7	49·2	33·7	40·7	3·12
PERTH,	2,122	30,820	14·524	19·62	13	16	3	49·0	30·0	37·8	0·56
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	954	649	129	52·6	26·0	39·8	2·87

Week ending Saturday, JANUARY 20, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 20, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.			The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23.3	2.2	721	135	214	1	32	8	7	8	6	7	3	195	27	156	27	0
GLASGOW,	23.8	2.5	340	69	84	0	19	4	3	4	3	3	0	95	12	80	13	0
EDINBURGH,	23.2	1.5	135	20	49	*1	0	3	2	1	1	1	0	35	4	31	5	0
DUNDEE,	21.7	3.4	70	13	16	0	8	0	1	0	0	2	0	20	3	9	2	0
ABERDEEN,	23.0	0.7	64	13	25	0	0	0	1	1	0	0	0	19	3	11	2	0
LEITH,	23.8	0.0	36	6	13	0	0	0	0	0	0	0	0	5	4	10	4	0
PAISLEY,	19.3	4.0	29	6	11	0	4	1	0	0	0	1	0	9	0	8	0	0
GREENOCK,	26.6	1.7	31	6	12	0	0	0	0	0	1	1	2	8	0	3	1	0
PERTH,	27.0	5.1	16	2	4	0	1	0	0	2	0	0	0	4	1	4	0	0

* Chicken-pox.

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, January 21, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.			The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.3	3.1	649	135	144	0	19	6	9	34	6	20	3	150	17	118	30	1
GLASGOW,	22.4	2.5	316	62	58	0	2	4	2	15	4	8	2	91	8	64	11	0
EDINBURGH,	20.9	4.0	120	24	40	0	6	1	1	12	1	2	1	20	3	23	10	0
DUNDEE,	23.5	2.5	75	19	14	0	0	0	2	3	0	3	0	16	4	8	0	0
ABERDEEN,	20.4	5.5	56	13	11	0	9	1	0	2	0	3	0	10	2	12	3	0
LEITH,	15.5	3.4	23	5	5	0	2	0	0	2	0	1	0	3	0	3	1	1
PAISLEY,	18.9	1.4	28	4	6	0	0	0	2	0	0	0	0	5	0	2	1	0
GREENOCK,	17.1	4.3	20	7	2	0	0	0	2	0	1	2	0	5	0	4	3	0
PERTH,	18.6	1.7	11	1	8	0	0	0	0	0	0	1	0	0	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND

By Authority of the Registrar-General.

No. 4.

WEEK ENDING SATURDAY, JANUARY 27, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 27, 1900, was 23·4 per thousand of estimated population. This rate is 1·3 above that for the corresponding week of last year, and 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·2 per thousand; and the highest in Aberdeen, viz., 27·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 168, being 27 below the number for the previous week.

The Mean Temperature was 42°·8, being 3°·3 above that for the week immediately preceding, and 10°·9 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 27, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Jan. 27, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	941	723	154	56·0	27·0	42·8	0·90
GLASGOW, . . .	12,681	743,969	58·668	9·76	456	349	68	53·2	32·9	43·8	1·35
EDINBURGH, . . .	8,804	302,262	34·332	12·76	155	123	38	51·9	32·0	42·6	0·36
DUNDEE, . . .	4,162	167,584	40·265	11·78	90	86	7	54·0	31·2	41·6	0·25
ABERDEEN, . . .	6,795	144,966	21·334	16·19	93	77	17	55·0	30·0	42·2	0·07
LEITH, . . .	2,042	78,509	38·447	12·06	49	23	10	52·7	33·6	44·0	0·23
PAISLEY, . . .	3,538	78,258	22·119	15·90	49	24	7	52·0	33·9	43·1	0·57
GREENOCK, . . .	1,440	60,567	42·060	11·53	40	26	4	52·2	33·0	43·5	4·02
PERTH, . . .	2,122	30,820	14·524	19·62	9	15	3	56·0	27·0	41·7	0·33
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	880	676	155	50·8	15·6	31·9	0·19

Week ending Saturday, JANUARY 27, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 27, 1900.

TOWNS.	The Deaths Registered in the Week include																	
	Deaths from All Causes.			Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·4	2·6	723	138	205	0	32	8	7	8	3	23	4	168	30	151	20	0
GLASGOW,	24·4	3·4	349	64	77	0	19	6	3	5	3	13	2	66	18	88	5	0
EDINBURGH,	21·2	0·9	123	19	45	0	0	1	0	2	0	2	1	29	5	24	13	0
DUNDEE,	26·7	4·3	86	28	25	0	8	1	2	0	0	3	0	31	2	12	0	0
ABERDEEN,	27·6	1·4	77	10	36	0	0	0	1	0	0	3	1	20	1	10	1	0
LEITH,	15·2	1·3	23	5	6	0	0	0	0	0	0	2	0	8	0	6	0	0
PAISLEY,	15·9	0·7	24	5	6	0	1	0	0	0	0	0	0	6	0	3	1	0
GREENOCK,	22·3	1·7	26	4	5	0	2	0	0	0	0	0	0	6	3	5	0	0
PERTH,	25·3	6·7	15	3	5	0	2	0	1	1	0	0	0	2	1	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 28, 1899.

TOWNS.	The Deaths Registered in the Week include																	
	Deaths of			Deaths from														
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·1	2·6	676	103	181	0	15	14	9	30	5	5	4	157	27	134	8	
GLASGOW,	23·4	2·5	330	59	83	0	7	7	4	12	1	4	2	93	11	66	16	7
EDINBURGH,	20·2	3·3	116	10	34	0	4	3	1	9	2	0	1	20	5	27	11	0
DUNDEE,	20·7	1·9	66	10	23	0	0	1	1	4	0	0	0	7	3	12	1	0
ABERDEEN,	21·9	3·6	60	13	16	0	3	2	1	3	0	1	1	15	3	9	1	0
LEITH,	24·9	4·0	37	3	8	0	1	0	2	1	2	0	0	7	3	4	0	0
PAISLEY,	18·3	0·7	27	0	9	0	0	0	0	1	0	0	0	8	0	8	1	0
GREENOCK,	23·9	0·9	28	5	6	0	0	1	0	0	0	0	0	4	2	4	1	1
PERTH,	20·3	0·0	12	3	2	0	0	0	0	0	0	0	0	3	0	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 5.

WEEK ENDING SATURDAY, FEBRUARY 3, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 3, 1900, was 23·7 per thousand of estimated population. This rate is 4·7 below that for the corresponding week of last year, but 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 16·6 per thousand; and the highest in Perth, viz., 40·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 208, being 40 above the number for the previous week.

The Mean Temperature was 34°·2, being 8°·6 below that for the week immediately preceding, and 0°·4 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 3, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Feb. 3, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1002	733	198	42·2	20·5	34·2	0·29
GLASGOW, . . .	12,681	743,969	58·668	9·76	514	299	93	42·2	23·0	33·9	0·06
EDINBURGH, . . .	8,804	302,262	34·332	12·76	159	158	37	40·3	24·7	34·1	0·48
DUNDEE, . . .	4,162	167,584	40·265	11·78	91	99	16	39·8	21·2	33·2	0·39
ABERDEEN, . . .	6,795	144,966	21·334	16·19	91	67	26	41·0	26·0	35·3	0·69
LEITH,	2,042	78,509	38·447	12·06	47	31	7	40·2	28·0	35·4	0·50
PAISLEY,	3,538	78,258	22·119	15·90	47	25	8	41·2	25·0	34·8	0·04
GREENOCK, . . .	1,440	60,567	42·060	11·53	39	30	8	41·2	27·0	34·8	0·04
PERTH,	2,122	30,820	14·524	19·62	14	24	3	40·0	20·5	32·2	0·12
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	924	866	191	45·5	14·0	34·6	0·02

Week ending Saturday, FEBRUARY 3, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 3, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include											
			Deaths from All Causes.			Deaths of Infants under One Year of Age.			Deaths from Persons aged 60 Years & upwards.			Deaths from All Causes.		
	From All Causes.	From Seven Zymotic Diseases.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	23·7	2·1	733	128	194	0	25	11	9	0	1	0	5	132
GLASGOW, .	20·9	3·2	299	53	48	0	21	9	3	2	0	5	8	75
EDINBURGH, .	27·2	1·0	158	30	60	0	1	1	1	2	0	1	4	17
DUNDEE, . .	30·7	1·2	99	20	29	0	2	0	1	0	0	1	0	5
ABERDEEN, .	24·0	1·4	67	9	26	0	0	0	2	1	0	1	0	4
LEITH, . . .	20·5	0·0	31	5	10	0	0	0	0	0	0	0	1	0
PAISLEY, . .	16·6	0·7	25	5	8	0	1	0	0	0	0	0	5	3
GREENOCK, .	25·8	1·7	30	2	7	0	0	1	1	0	0	0	2	1
PERTH, . . .	40·5	5·1	24	4	6	0	0	0	1	2	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 4, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include											
			Deaths of Infants under One Year of Age.			Deaths from Persons aged 60 Years & upwards.			Deaths from All Causes.			Deaths from		
	From All Causes.	From Seven Zymotic Diseases.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	28·4	3·1	866	163	241	0	16	7	7	43	2	20	3	136
GLASGOW, .	33·2	3·0	469	77	117	0	1	5	3	25	0	8	2	81
EDINBURGH, .	26·6	4·0	153	36	47	0	6	2	0	11	0	4	0	20
DUNDEE, . .	19·7	1·3	63	13	18	0	0	0	1	1	0	2	1	2
ABERDEEN, .	24·1	6·9	66	16	26	0	9	0	2	2	2	4	0	4
LEITH, . . .	20·8	2·0	31	6	7	0	0	0	0	3	0	0	0	0
PAISLEY, . .	24·3	1·4	36	8	13	0	0	0	1	1	0	0	0	0
GREENOCK, .	32·5	0·9	38	5	9	0	0	0	0	0	0	1	0	3
PERTH, . . .	16·9	1·7	10	2	4	0	0	0	0	0	0	1	0	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 6.

WEEK ENDING SATURDAY, FEBRUARY 10, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 10, 1900, was 27·1 per thousand of estimated population. This rate is 4·1 below that for the corresponding week of last year, but 3·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·9 per thousand; and the highest in Perth, viz., 57·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 239, being 31 above the number for the previous week.

The Mean Temperature was 28°·4, being 5°·8 below that for the week immediately preceding, and 11°·4 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 10, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Feb. 10, 1900.				Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean		
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	953	836	161	42·0	10·0	28·4	0·25	
GLASGOW, . . .	12,681	743,969	58·668	9·76	462	384	83	39·8	10·2	28·3	0·20	
EDINBURGH, . . .	8,804	302,262	34·332	12·76	169	160	28	38·3	17·0	29·2	0·26	
DUNDEE, . . .	4,162	167,584	40·265	11·78	86	101	10	36·8	18·2	27·5	0·10	
ABERDEEN, . . .	6,795	144,966	21·334	16·19	83	63	16	35·5	10·0	25·8	0·26	
LEITH,	2,042	78,509	38·447	12·06	46	24	4	36·6	20·4	30·1	0·25	
PAISLEY, . . .	3,538	78,258	22·119	15·90	48	37	10	42·0	18·0	30·7	0·44	
GREENOCK, . . .	1,440	60,567	42·060	11·53	42	33	6	39·8	20·5	30·4	0·30	
PERTH,	2,122	30,820	14·524	19·62	17	34	4	38·0	12·5	25·5	0·21	
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	879	951	166	55·0	20·5	39·8	1·47	

Week ending Saturday, FEBRUARY 10, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 10, 1900.

TOWNS.	The Deaths Registered in the Week include																	
	Annual Rate of Mortality per 1000 living.		Deaths of All Causes.		Deaths from All Causes.		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	27·1	2·0	836	149	258	0	19	3	0	14	7	18	3	239	28	149	27	3
GLASGOW, .	26·8	2·4	384	61	96	0	15	3	0	6	4	6	2	119	12	79	17	3
EDINBURGH, .	27·5	0·9	160	30	58	0	0	0	0	1	2	2	1	35	7	31	4	0
DUNDEE, . .	31·3	2·5	101	18	42	0	1	0	0	1	0	6	0	36	4	10	2	0
ABERDEEN, .	22·6	1·8	63	15	18	0	0	0	0	2	1	2	0	16	1	13	2	0
LEITH, . . .	15·9	0·0	24	4	9	0	0	0	0	0	0	0	0	7	0	2	0	0
PAISLEY, . .	24·6	3·3	37	10	9	0	3	0	0	0	0	2	0	8	1	7	1	0
GREENOCK, .	28·3	0·0	33	6	11	0	0	0	0	0	0	0	0	6	2	1	0	0
PERTH, . . .	57·3	6·7	34	5	15	0	0	0	0	4	0	0	0	12	1	6	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 11, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths from All Causes			Deaths of			Deaths from									
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles,	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	31.2	3.3	951	178	275	0	22	6	9	37	8	19	3	216	7	94	11	1
GLASGOW, .	35.0	2.7	494	76	139	0	6	3	3	15	4	7	3	343	7	35	16	0
EDINBURGH, .	27.7	3.7	159	27	46	0	4	0	4	7	1	5	0	40	7	10	1	0
DUNDEE, . .	24.4	3.4	78	19	18	0	3	0.	0	5	0	3	0	13	0	10	1	0
ABERDEEN, .	28.4	6.6	78	26	24	0	8	2	1	4	1	2	0	23	3	17	1	0
LEITH, . . .	24.2	4.7	36	5	10.	0	1	1	0	5	0	0	0	9.	2	9	1	0
PAISLEY, . .	39.9	4.1	59	14	19	0	0	0	1	1	2	2	0	23	0	7	5	0
GREENOCK, .	30.7	0.0	36	10	13	0	0	0	0	0	0	0	0	17	0	1	3	1
PERTH, . . .	18.6	0.0	11	1	6	0	0	0	0	0	0	0	0	2	2	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 7.

WEEK ENDING SATURDAY, FEBRUARY 17, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 17, 1900, was 31·0 per thousand of estimated population. This rate is 3·0 above that for the corresponding week of last year, and 3·9 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 17·2 per thousand; and the highest in Perth, viz., 50·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 322, being 83 above the number for the previous week.

The Mean Temperature was 31°·9, being 3°·5 above that for the week immediately preceding, but 11°·3 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 17, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Feb. 17, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	959	958	163	47·0	6·0	31·9	1·00
GLASGOW, . . .	12,681	743,969	58·668	9·76	502	480	77	46·0	7·9	33·3	0·88
EDINBURGH, . . .	8,804	302,262	34·332	12·76	140	152	33	44·2	18·1	33·5	0·71
DUNDEE, . . .	4,162	167,584	40·265	11·78	83	114	15	41·3	17·6	30·7	0·73
ABERDEEN, . . .	6,795	144,966	21·334	16·19	78	65	18	44·0	14·0	29·9	1·13
LEITH,	2,042	78,509	38·447	12·06	42	44	8	43·2	18·7	33·2	0·64
PAISLEY,	3,538	78,258	22·119	15·90	51	53	1	47·0	10·1	33·2	0·15
GREENOCK, . . .	1,440	60,567	42·060	11·53	49	20	8	41·2	20·0	31·8	2·76
PERTH,	2,122	30,820	14·524	19·62	14	30	3	42·0	6·0	29·5	0·98
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	955	855	186	53·9	29·7	43·2	0·87

2

Week ending Saturday, FEBRUARY 17, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, February 17, 1900.

TOWNS.	The Deaths Registered in the Week include															
	Deaths of			Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	31·0	2·7	958	173	292	0	24	11	7	18	2	20	3	322	25	188
GLASGOW,	33·6	3·4	480	89	114	0	17	11	3	10	1	7	2	169	14	90
EDINBURGH,	26·1	1·0	152	18	60	0	0	0	3	1	0	2	1	39	7	38
DUNDEE,	35·4	3·4	114	24	37	0	1	0	1	0	0	9	0	46	1	26
ABERDEEN,	23·3	1·8	65	10	31	0	0	0	0	4	0	1	0	23	0	10
LEITH,	29·1	2·0	44	14	11	0	0	0	0	1	1	1	0	17	2	6
PAISLEY,	35·2	5·3	53	13	16	0	6	0	0	2	0	0	0	12	0	11
GREENOCK,	17·2	0·0	20	0	10	0	0	0	0	0	0	0	0	4	1	1
PERTH,	50·6	0·0	30	5	13	0	0	0	0	0	0	0	0	12	0	6

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, February 18, 1899.

TOWNS.	The Deaths Registered in the Week include															
	Deaths of			Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	28·0	2·5	855	173	237	0	9	11	4	31	7	14	5	31	172	30
GLASGOW,	32·0	2·6	452	95	98	0	5	7	1	11	6	6	2	163	19	97
EDINBURGH,	26·1	2·4	150	24	56	0	2	1	1	10	0	0	1	43	6	33
DUNDEE,	18·0	1·9	56	10	16	0	0	1	1	1	0	3	1	13	0	10
ABERDEEN,	23·0	3·3	63	15	24	0	2	1	0	3	1	2	0	13	2	10
LEITH,	22·8	3·4	34	9	9	0	0	0	1	4	0	0	1	11	2	3
PAISLEY,	34·5	1·4	51	13	17	0	0	0	0	1	0	1	0	20	0	10
GREENOCK,	32·5	1·7	38	6	13	0	0	1	0	0	0	1	0	14	1	5
PERTH,	18·6	3·4	11	1	4	0	0	0	0	1	0	1	0	3	1	4

W E E K L Y R E T U R N

OR

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 8.

WEEK ENDING SATURDAY, FEBRUARY 24, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 24, 1900, was 31·7 per thousand of estimated population. This rate is 7·6 above that for the corresponding week of last year, and 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·2 per thousand; and the highest in Perth, viz., 62·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 359, being 37 above the number for the previous week.

The Mean Temperature was 37°·7, being 5°·8 above that for the week immediately preceding, but 0°·8 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 24, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Feb. 24, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1007	981	201	54·2	15·6	37·7	1·27
GLASGOW, . . .	12,681	743,969	58·668	9·76	474	502	105	54·2	29·8	39·9	1·40
EDINBURGH, . . .	8,804	302,262	34·332	12·76	148	150	29	52·7	26·0	38·4	1·50
DUNDEE, . . .	4,162	167,584	40·265	11·78	94	126	19	47·6	26·7	36·3	1·15
ABERDEEN, . . .	6,795	144,966	21·334	16·19	105	69	18	50·0	15·6	35·2	2·03
LEITH,	2,042	78,509	38·447	12·06	54	23	5	50·5	28·1	38·5	0·88
PAISLEY,	3,538	78,258	22·119	15·90	66	41	11	51·0	30·2	40·1	0·49
GREENOCK, . . .	1,440	60,567	42·060	11·53	49	33	9	47·5	29·0	37·4	1·54
PERTH,	2,122	30,820	14·524	19·62	17	37	5	48·0	22·0	35·9	1·15
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	893	737	167	52·1	23·5	38·5	0·01

Week ending Saturday, FEBRUARY 24, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 24, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include											
	From All Causes.		Deaths from All Causes.		Deaths of Infants under One Year of Age.		Deaths from Persons aged 60 Years & upwards.		Deaths from Small-pox.		Deaths from Measles.		Deaths from Scarlet Fever.	
	From Seven Zymotic Diseases.													
In Eight Towns,	31·7	2·3	981	185	298	1	17	9	5	5	2	19	3	193
GLASGOW,	35·1	2·7	502	97	127	0	9	5	5	9	2	8	3	42
EDINBURGH,	25·8	1·2	150	29	52	*1	0	2	0	1	0	3	0	12
DUNDEE,	39·1	2·2	126	20	47	0	5	0	0	0	0	2	0	10
ABERDEEN,	24·7	2·5	69	15	29	0	0	0	0	3	0	4	0	1
LEITH,	15·2	0·7	23	7	4	0	0	0	0	1	0	0	5	0
PAISLEY,	27·2	4·0	41	4	12	0	3	2	0	0	0	1	0	0
GREENOCK,	28·3	0·9	33	7	9	0	0	0	0	0	0	1	0	0
PERTH,	62·4	5·1	37	6	18	0	0	0	0	3	0	0	1	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 25, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include											
	From All Causes.		Deaths of Infants under One Year of Age.		Deaths of Persons aged 60 Years & upwards.		Deaths of Small-pox.		Deaths of Measles.		Deaths of Scarlet Fever.		Deaths of Diphtheria.	
	From Seven Zymotic Diseases.													
In Eight Towns,	24·1	2·1	737	145	200	0	19	5	5	5	4	8	1	143
GLASGOW,	25·2	1·8	355	66	92	0	7	3	2	9	1	4	0	70
EDINBURGH,	26·8	3·0	154	37	41	0	3	1	1	10	2	0	0	11
DUNDEE,	16·0	0·9	51	7	12	0	0	0	1	1	0	1	0	3
ABERDEEN,	21·9	4·7	60	15	14	0	9	0	1	2	0	1	0	0
LEITH,	22·8	1·3	34	4	11	0	0	1	0	1	0	0	1	0
PAISLEY,	24·3	1·4	36	9	15	0	0	0	0	0	1	1	0	4
GREENOCK,	29·0	0·9	34	6	11	0	0	0	0	0	0	1	0	2
PERTH,	22·0	0·0	13	1	4	0	0	0	0	0	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 9.

WEEK ENDING SATURDAY, MARCH 3, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 3, 1900, was 29·0 per thousand of estimated population. This rate is 3·9 above that for the corresponding week of last year, but 2·7 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 16·6 per thousand; and the highest in Glasgow, viz., 34·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 320, being 39 below the number for the previous week.

The Mean Temperature was 39°0, being 1°3 above that for the week immediately preceding, but 1°7 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 3, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Mar. 3, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	999	897	296	52·0	27·0	39·0	0·56
GLASGOW, . . .	12,681	743,969	58·668	9·76	490	490	130	48·8	28·4	39·4	0·39
EDINBURGH, . . .	8,804	302,262	34·332	12·76	179	132	73	47·5	31·1	38·8	1·02
DUNDEE, . . .	4,162	167,584	40·265	11·78	85	95	23	49·0	29·4	38·0	0·75
ABERDEEN, . . .	6,795	144,966	21·334	16·19	90	59	17	50·4	32·0	39·3	0·61
LEITH,	2,042	78,509	38·447	12·06	50	25	11	47·0	33·6	39·3	1·14
PAISLEY,	3,538	78,258	22·119	15·90	51	45	22	52·0	30·1	39·8	0·04
GREENOCK, . . .	1,440	60,567	42·060	11·53	36	33	13	46·7	30·0	39·5	0·30
PERTH,	2,122	30,820	14·524	19·62	18	18	7	49·0	27·0	38·0	0·25
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	940	765	246	59·4	21·0	40·7	0·13

Week ending Saturday, MARCH 3, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 3, 1900.

TOWNS.	The Deaths Registered in the Week include										
	Deaths of			Deaths from							
	Annual Rate of Mortality per 1000 living.	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Mesles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.
In Eight Towns,	29·0	2·4	897	147	295	0	20	10	5	15	6
GLASGOW, .	34·2	2·9	490	84	145	0	10	9	4	6	4
EDINBURGH, .	22·7	1·2	132	20	50	0	1	0	0	2	1
DUNDEE, .	29·5	2·2	95	17	36	0	4	0	0	0	3
ABERDEEN, .	21·2	1·4	59	7	25	0	0	0	0	3	0
LEITH, . . .	16·6	0·7	25	8	5	0	0	0	0	1	0
PAISLEY, . .	29·9	5·3	45	5	17	0	4	1	0	2	0
GREENOCK, .	28·3	4·3	33	5	9	0	1	0	1	0	1
PERTH, . . .	30·4	1·7	18	1	8	0	0	0	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 4, 1899.

TOWNS.	The Deaths Registered in the Week include										
	Deaths of			Deaths from							
	Annual Rate of Mortality per 1000 living.	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Mesles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.
In Eight Towns,	25·1	3·2	765	160	183	0	33	5	3	31	6
GLASGOW, .	26·3	2·5	371	72	82	0	7	4	1	11	4
EDINBURGH, .	23·8	3·1	137	24	42	0	5	0	2	7	0
DUNDEE, .	19·7	2·2	63	11	8	0	1	0	0	5	1
ABERDEEN, .	24·4	8·4	67	17	17	0	19	0	0	2	1
LEITH, . . .	28·2	6·0	42	14	5	0	1	0	0	6	0
PAISLEY, . .	25·0	2·0	37	9	13	0	0	0	0	0	3
GREENOCK, .	28·2	2·6	33	11	8	0	0	1	0	0	0
PERTH, . . .	25·4	1·7	15	2	8	0	0	0	0	0	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 10.

WEEK ENDING SATURDAY, MARCH 10, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 10, 1900, was 27·7 per thousand of estimated population. This rate is 4·9 above that for the corresponding week of last year, but 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·2 per thousand; and the highest in Perth, viz., 32·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 254, being 66 below the number for the previous week.

The Mean Temperature was 38°·3, being 0°·7 below that for the week immediately preceding, and 3°·1 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 10, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Mar. 10, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,696,935	38·643	12·03	1051	857	198	50·4	24·0	38·3	0·02
GLASGOW, . . .	12,681	743,969	58·668	9·76	495	453	97	50·4	28·7	38·3	0·00
EDINBURGH, . . .	8,804	302,262	34·332	12·76	180	130	48	49·7	28·4	39·0	0·01
DUNDEE, . . .	4,162	167,584	40·265	11·78	112	84	15	49·2	27·0	38·1	0·00
ABERDEEN, . . .	6,795	144,966	21·334	16·19	114	70	22	46·0	28·5	38·9	0·03
LEITH,	2,042	78,509	38·447	12·06	52	20	6	47·3	31·0	39·2	0·00
PAISLEY,	3,538	78,258	22·119	15·90	53	48	4
GREENOCK, . . .	1,440	60,567	42·060	11·53	30	33	6	47·0	30·0	37·7	0·00
PERTH,	2,122	30,820	14·524	19·62	15	19	0	48·5	24·0	36·8	0·12
Corresponding Week of 1899. — Eight Towns.	41,214	1,587,414	38·516	12·04	938	697	169	59·0	28·7	41·4	0·47

Week ending Saturday, MARCH 10, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 10, 1900.

TOWNS.	Annual Rate of Mortality per 1000 Living.	The Deaths Registered in the Week include																		
		Deaths from All Causes.						Deaths from												
		Deaths from All Causes.			Deaths of			Deaths from			Deaths from			Deaths from			Deaths from			
		From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.		Small-pox.	Measles.		Scarlet Fever.	Diphtheria.		Fever.			Diarrhea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.
In Eight Towns,	27·7	3·0	857	176		205	0	17	10	7	24	9	25	5	177					
GLASGOW, .	31·7	3·6	453	104	94	0	12	5	5	11	5	14	1	158	7	88	15	10		
EDINBURGH, .	22·4	2·2	130	19	35	0	1	3	0	3	3	3	0	28	5	37	10	0	0	
DUNDEE, .	26·1	1·6	84	15	22	0	1	0	0	1	0	3	2	24	3	14	0	0	0	
ABERDEEN, .	25·1	2·2	70	20	22	0	0	0	1	4	0	1	2	17	1	17	0	0	1	
LEITH, . . .	13·2	0·7	20	3	1	0	0	0	0	1	0	0	0	6	1	3	1	0	0	
PAISLEY, . .	31·9	5·3	48	6	15	0	3	0	1	3	0	1	0	9	0	9	0	0	0	
GREENOCK, .	28·3	5·2	33	4	8	0	0	2	0	0	1	3	0	4	2	6	2	0	0	
PERTH, . . .	32·0	1·7	19	5	8	0	0	0	0	1	0	0	0	8	0	3	0	1	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 11, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths from All Causes			Deaths of Infants under One Year of Age.		Deaths from		Deaths from		Deaths in Public Institutions.						
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes			Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Croup and Laryngitis.	Bronchitis, Pleurmonia & Pleurisy.	Violence.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	22.8	2.2	697	149	164	0	13	5								133	33	1
GLASGOW, .	23.5	1.7	331	66	67	0	2	2	1	11	3	5	0	95	14	64	11	1
EDINBURGH, .	22.6	2.3	130	16	42	0	2	1	1	8	0	1	0	22	0	30	13	0
DUNDEE, .	1.9	1.9	54	8	15	0	1	2	1	2	0	0	0	14	2	10	0	0
ABERDEEN, .	28.4	5.1	78	23	13	0	7	0	1	2	1	3	1	19	2	10	1	0
LEITH, . . .	25.5	6.0	38	14	8	0	1	0	0	7	0	1	0	8	1	5	1	0
PAISLEY, .	23.7	0.0	35	12	10	0	0	0	0	0	0	0	0	7	2	8	2	0
GREENOCK, .	21.3	0.9	25	7	6	0	0	0	0	0	0	1	0	5	2	5	5	0
PERTH, . . .	10.2	0.0	6	3	3	0	0	0	0	0	0	0	0	1	0	1	0	0

WEEKLY RETURN

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 11.

WEEK ENDING SATURDAY, MARCH 17, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 17, 1900, was 22·7 per thousand of estimated population. This rate is 1·7 above that for the corresponding week of last year, but 5·0 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·9 per thousand; and the highest in Perth, viz., 27·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 1·0 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 187, being 67 below the number for the previous week.

The Mean Temperature was 41°·1, being 2°·8 above that for the week immediately preceding, but 5°·1 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 17, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Mar. 17, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	966	700	152	57·1	24·4	41·1	0·14
GLASGOW, . . .	12,681	743,969	58·668	9·76	499	364	74	57·1	28·8	42·0	0·06
EDINBURGH, . . .	8,804	302,262	34·332	12·76	153	114	35	54·8	28·1	41·2	0·16
DUNDEE, . . .	4,162	167,584	40·265	11·78	93	60	8	53·9	24·4	40·1	0·11
ABERDEEN, . . .	6,795	144,966	21·334	16·19	86	56	9	52·0	27·0	39·3	0·49
LEITH,	2,042	78,509	38·447	12·06	43	24	6	53·8	29·2	41·9	0·11
PAISLEY,	3,538	78,258	22·119	15·90	43	35	10	57·0	27·0	42·4	0·05
GREENOCK, . . .	1,440	60,567	42·060	11·53	35	31	8	54·0	26·7	41·8	0·10
PERTH,	2,122	30,820	14·524	19·62	14	16	2	56·0	25·0	40·4	0·02
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	925	640	175	65·5	27·9	46·2	0·02

Week ending Saturday, MARCH 17, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 17, 1900.

TOWNS.*	Annual Rate of Mortality per 1000 living.	The Deaths Registered in the Week include																
		Deaths from All Causes.			Deaths of			Deaths from										
		From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Iaryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	22.7	2.0	700	154	194	0	17	5	4	15	4	18	2	187	29	156	27	0
GLASGOW, .	25.4	1.6	364	77	84	0	7	3	2	5	3	3	1	119	18	85	11	0
EDINBURGH, .	19.6	2.2	114	22	34	0	1	1	1	5	0	5	0	21	3	30	12	0
DUNDEE, .	18.6	2.8	60	17	17	0	5	0	0	1	0	3	0	14	2	9	1	0
ABERDEEN, .	20.1	2.5	56	20	20	0	0	0	1	1	0	5	1	8	1	14	0	0
LEITH, . . .	15.9	1.3	24	3	10	0	0	0	0	1	0	1	0	5	2	4	2	0
PAISLEY, . .	23.3	2.7	35	8	11	0	4	0	0	0	0	0	0	9	1	8	0	0
GREENOCK, .	26.6	1.7	31	5	11	0	0	1	0	0	1	0	0	9	2	3	1	0
PERTH, . . .	27.0	5.1	16	2	7	0	0	0	0	2	0	1	0	2	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 18, 1899.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 12.

WEEK ENDING SATURDAY, MARCH 24, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 24, 1900, was 22·2 per thousand of estimated population. This rate is 0·4 above that for the corresponding week of last year, but 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 11·8 per thousand; and the highest in Paisley, viz., 25·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 167, being 20 below the number for the previous week.

The Mean Temperature was 35°·9, being 5°·2 below that for the week immediately preceding, but 3°·3 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 24, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Mar. 24, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	958	686	153	44·0	10·0	35·9	0·68
GLASGOW, . . .	12,681	743,969	58·668	9·76	470	334	73	43·8	22·4	36·9	0·21
EDINBURGH, . . .	8,804	302,262	34·332	12·76	153	138	37	40·5	21·1	35·4	0·49
DUNDEE, . . .	4,162	167,584	40·265	11·78	78	57	11	41·7	23·5	35·5	1·08
ABERDEEN, . . .	6,795	144,966	21·334	16·19	99	64	17	43·0	10·0	34·3	1·42
LEITH,	2,042	78,509	38·447	12·06	45	22	7	40·2	22·9	36·3	0·98
PAISLEY,	3,538	78,258	22·119	15·90	52	38	6	43·2	24·2	37·0	0·18
GREENOCK, . . .	1,440	60,567	42·060	11·53	45	26	1	43·5	25·0	36·1	0·10
PERTH,	2,122	30,820	14·524	19·62	16	7	1	44·0	20·0	35·4	1·00
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	913	666	153	46·1	15·5	32·6	0·67

Week ending Saturday, MARCH 24, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 24, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of		Deaths from													
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	22.2	2.2	686	138	168	0	19	4	6	17	4	18	3	167	19	131	32	3
GLASGOW, .	23.3	2.7	334	61	58	0	13	4	3	10	1	8	3	100	9	57	17	3
EDINBURGH, .	23.7	1.9	138	33	53	0	1	0	0	2	3	5	0	32	1	30	9	0
DUNDEE, . .	17.7	0.9	57	9	18	0	2	0	0	0	0	1	0	6	4	14	1	0
ABERDEEN, .	23.0	1.8	64	18	16	0	0	0	1	3	0	1	0	11	2	16	0	0
LEITH, . . .	14.6	0.0	22	3	7	0	0	0	0	0	0	0	0	2	1	1	0	0
PAISLEY, . . .	25.2	3.3	38	9	11	0	2	0	0	2	0	1	0	10	1	8	1	0
GREENOCK, .	22.3	4.3	26	4	3	0	1	0	2	0	0	2	0	5	1	5	2	0
PERTH, . . .	11.8	0.0	7	1	2	0	0	0	0	0	0	0	0	1	0	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 25, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of		Deaths from													
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	21.8	2.2	666	121	155	0	21	6	2	22	4	12	2	149	25	132	30	6
GLASGOW, .	23.7	1.7	334	60	61	0	7	2	1	9	2	3	2	81	16	63	18	5
EDINBURGH, .	20.7	2.4	119	16	40	0	6	1	1	4	1	1	0	23	2	31	8	0
DUNDEE, . .	16.6	1.9	53	11	14	0	0	0	0	1	0	5	0	9	3	11	0	0
ABERDEEN, .	24.8	4.7	68	17	16	0	6	2	0	3	0	2	0	18	0	14	1	1
LEITH, . . .	20.2	4.0	30	8	9	0	1	0	0	4	0	1	0	4	1	3	0	0
PAISLEY, . . .	13.5	1.4	20	4	4	0	1	0	0	1	0	0	0	4	0	2	1	0
GREENOCK, ..	27.3	0.9	32	5	9	0	0	1	0	0	0	0	0	8	2	5	2	0
PERTH, . . .	16.9	1.7	10	0	2	0	0	0	0	0	1	0	0	2	1	3	0	0

Week ending Saturday, MARCH 31, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, March 31, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
			Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	From All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	22·8	2·4	705	149	188	0	0	14	4	14	24	5	14	3	169	36	154
GLASGOW, .	25·2	2·9	360	70	92	0	0	9	4	7	13	2	6	2	88	22	68
EDINBURGH, .	25·3	1·7	147	33	48	0	0	0	0	3	3	0	4	0	40	4	44
DUNDEE, .	17·7	1·9	57	15	10	0	0	2	0	1	0	2	1	0	13	2	10
ABERDEEN, .	18·7	2·5	52	16	11	0	0	0	0	0	6	0	1	1	12	3	10
LEITH, . . .	11·3	0·0	17	4	3	0	0	0	0	0	0	0	0	0	3	3	3
PAISLEY, . . .	21·9	4·0	33	5	12	0	0	3	0	0	2	1	0	0	8	1	9
GREENOCK, .	24·9	3·4	29	6	9	0	0	0	0	3	0	0	1	0	4	0	6
PERTH, . . .	16·9	1·7	10	0	3	0	0	0	0	0	0	0	1	0	1	4	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, April 1, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
			Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	From All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	23·3	3·2	711	156	168	0	0	25	4	2	30	4	32	4	156	28	125
GLASGOW, .	22·6	3·5	319	72	59	0	0	13	2	0	10	4	20	3	69	15	61
EDINBURGH, .	22·4	3·5	129	25	39	0	0	3	2	1	12	0	2	1	16	6	25
DUNDEE, .	22·2	2·8	71	17	13	0	0	0	0	1	3	0	5	0	21	0	12
ABERDEEN, .	28·1	4·4	77	20	24	0	0	9	0	0	0	0	3	0	24	2	11
LEITH, . . .	24·9	4·0	37	5	10	0	0	0	0	0	5	0	1	0	10	1	8
PAISLEY, . . .	18·9	0·0	28	2	8	0	0	0	0	0	0	0	0	0	4	1	4
GREENOCK, .	29·9	0·9	35	11	11	0	0	0	0	0	0	0	1	0	8	2	2
PERTH, . . .	25·4	0·0	15	4	4	0	0	0	0	0	0	0	0	0	4	1	2

Week ending Saturday, MARCH 24, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 24, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of			Deaths from												
	From All Causes.		From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.		Small-pox.		Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	22·2	2·2	686	138	168	0	19	4	6	17	4	18	3	167	19	131	32	3
GLASGOW, .	23·3	2·7	334	61	58	0	13	4	3	10	1	8	3	100	9	57	17	3
EDINBURGH, .	23·7	1·9	138	33	53	0	1	0	0	2	3	5	0	32	1	30	9	0
DUNDEE, . .	17·7	0·9	57	9	18	0	2	0	0	0	0	1	0	6	4	14	1	0
ABERDEEN, .	23·0	1·8	64	18	16	0	0	0	1	3	0	1	0	11	2	16	0	0
LEITH, . . .	14·6	0·0	22	3	7	0	0	0	0	0	0	0	0	2	1	1	0	0
PAISLEY, . .	25·2	3·3	38	9	11	0	2	0	0	2	0	1	0	10	1	8	1	0
GREENOCK, .	22·3	4·3	26	4	3	0	1	0	2	0	0	2	0	5	1	5	2	0
PERTH, . . .	11·8	0·0	7	1	2	0	0	0	0	0	0	0	0	1	0	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 25, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.	The Deaths Registered in the Week include																
		Deaths of All Causes					Deaths from					Deaths from						
		From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·8	2·2	666	121	155	0	21	6	2	22	4	12	2	149	25	132	30	6
GLASGOW, .	23·7	1·7	334	60	61	0	7	2	1	9	2	3	2	81	16	63	18	5
EDINBURGH, .	20·7	2·4	119	16	40	0	6	1	1	4	1	1	0	23	2	31	8	0
DUNDEE, . .	16·6	1·9	53	11	14	0	0	0	0	1	0	5	0	9	3	11	0	0
ABERDEEN, .	24·8	4·7	68	17	16	0	6	2	0	3	0	2	0	18	0	14	1	1
LEITH, . . .	20·2	4·0	30	8	9	0	1	0	0	4	0	1	0	4	1	3	0	0
PAISLEY, . .	13·5	1·4	20	4	4	0	1	0	0	1	0	0	0	4	0	2	1	0
GREENOCK, ..	27·3	0·9	32	5	9	0	0	1	0	0	0	0	0	8	2	5	2	0
PERTH, . . .	16·9	1·7	10	0	2	0	0	0	0	0	1	0	0	2	1	3	0	0

Week ending Saturday, MARCH 31, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 31, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of				Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Undescribed Causes.	Deaths from
In Eight Towns,	22.8	2.4	705	149	188	0	14	14	24	5	14	3	169	36	154	37	8	
GLASGOW, .	25.2	2.9	360	70	92	0	9	4	7	13	2	6	2	88	22	68	21	7
EDINBURGH, .	25.3	1.7	147	33	48	0	0	0	3	3	0	4	0	40	4	44	9	0
DUNDEE, .	17.7	1.9	57	15	10	0	2	0	1	0	2	1	0	13	2	10	0	0
ABERDEEN, .	18.7	2.5	52	16	11	0	0	0	0	6	0	1	1	12	3	10	0	1
LEITH, .	11.3	0.0	17	4	3	0	0	0	0	0	0	0	0	3	3	3	3	0
PAISLEY, .	21.9	4.0	33	5	12	0	3	0	0	2	1	0	0	8	1	9	2	0
GREENOCK, .	24.9	3.4	29	6	9	0	0	0	3	0	0	1	0	4	0	6	2	0
PERTH, .	16.9	1.7	10	0	3	0	0	0	0	0	0	1	0	1	1	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 1, 1899.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 13.

WEEK ENDING SATURDAY, MARCH 31, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 31, 1900, was 22·8 per thousand of estimated population. This rate is 0·5 below that for the corresponding week of last year, but 0·6 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·3 per thousand; and the highest in Edinburgh, viz., 25·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 169, being 2 above the number for the previous week.

The Mean Temperature was 37°·7, being 1°·8 above that for the week immediately preceding, but 5°·9 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 31, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Mar. 31, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	985	705	197	53·5	25·0	37·7	0·13
GLASGOW, . . .	12,681	743,969	58·668	9·76	477	360	92	52·6	27·5	38·3	0·21
EDINBURGH, . . .	8,804	302,262	34·332	12·76	170	147	41	51·4	28·5	37·9	0·03
DUNDEE, . . .	4,162	167,584	40·265	11·78	99	57	14	50·0	28·1	37·4	0·09
ABERDEEN, . . .	6,795	144,966	21·334	16·19	87	52	15	49·4	29·2	37·9	0·32
LEITH, . . .	2,042	78,509	38·447	12·06	53	17	8	46·8	31·0	37·4	0·05
PAISLEY, . . .	3,538	78,258	22·119	15·90	41	33	15	53·1	28·8	38·7	0·10
GREENOCK, . . .	1,440	60,567	42·060	11·53	44	29	7	49·7	28·0	37·3	0·10
PERTH, . . .	2,122	30,820	14·524	19·62	14	10	5	53·5	25·0	36·7	0·12
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	984	711	222	63·0	30·2	43·6	1·70

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 14.

WEEK ENDING SATURDAY, APRIL 7, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 7, 1900, was 21·7 per thousand of estimated population. This rate is 0·1 below that for the corresponding week of last year, and 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 16·4 per thousand; and the highest in Greenock, viz., 25·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 155, being 14 below the number for the previous week.

The Mean Temperature was 41°·5, being 3°·8 above that for the week immediately preceding, but 4°·4 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 7, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending April 7, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1023	672	243	56·0	26·0	41·5	0·36
GLASGOW, . . .	12,681	743,969	58·668	9·76	485	347	128	53·5	30·9	42·4	0·22
EDINBURGH, . . .	8,804	302,262	34·332	12·76	165	126	37	51·8	31·4	41·4	0·23
DUNDEE, . . .	4,162	167,584	40·265	11·78	86	53	23	55·0	29·6	40·8	0·41
ABERDEEN, . . .	6,795	144,966	21·334	16·19	105	47	26	55·0	28·0	41·1	0·87
LEITH,	2,042	78,509	38·447	12·06	52	25	3	53·5	32·8	42·4	0·28
PAISLEY,	3,538	78,258	22·119	15·90	65	31	8	52·0	32·8	42·4	0·30
GREENOCK, . . .	1,440	60,567	42·060	11·53	47	30	15
PERTH,	2,122	30,820	14·524	19·62	18	13	3	56·0	26·0	40·1	0·24
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	1044	665	365	60·0	33·0	45·9	1·06

Week ending Saturday, APRIL 7, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 7, 1900.

TOWNS.	The Deaths Registered in the Week include																	
	Deaths of			Deaths from														
	From All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	From Seven Zymotic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21·7	2·0	672	122	177	0	14	4	6	15	5	19	1	155	25	153	30	4
GLASGOW,	24·3	2·6	347	56	69	0	9	4	3	10	3	8	0	92	12	84	16	4
EDINBURGH,	21·7	1·0	126	25	46	0	1	0	1	1	0	3	0	20	5	22	7	0
DUNDEE,	16·4	1·6	53	11	13	0	3	0	1	0	0	1	0	11	1	8	0	0
ABERDEEN,	16·9	1·8	47	11	20	0	0	0	0	3	0	2	0	9	3	12	2	0
LEITH,	16·6	2·0	25	1	7	0	0	0	0	0	0	3	1	7	0	13	1	0
PAISLEY,	20·6	1·3	31	5	11	0	0	0	0	0	1	1	0	7	1	8	1	0
GREENOCK,	25·8	3·4	30	8	5	0	1	0	1	0	1	1	0	5	2	4	2	0
PERTH,	21·9	1·7	13	5	6	0	0	0	0	1	0	0	0	4	1	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 8, 1899.

TOWNS.	The Deaths Registered in the Week include																	
	Deaths of			Deaths from														
	From All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	From Seven Zymotic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21·8	2·6	665	116	155	0	22	3	9	23	2	20	2	136	24	28	1	0
GLASGOW,	22·0	2·0	311	52	70	0	9	1	2	6	0	10	1	76	11	63	13	0
EDINBURGH,	17·7	2·6	102	15	25	0	4	1	0	9	0	1	1	13	4	33	6	0
DUNDEE,	25·7	3·8	82	16	18	0	1	1	4	4	0	2	0	21	3	14	3	0
ABERDEEN,	27·3	4·7	75	13	22	0	6	0	3	0	1	3	0	17	2	9	2	0
LEITH,	21·5	3·4	32	11	5	0	2	0	0	2	0	1	0	3	1	5	1	1
PAISLEY,	19·6	1·4	29	1	7	0	0	0	0	1	0	1	0	8	0	5	0	0
GREENOCK,	17·9	2·6	21	4	4	0	0	0	0	1	1	1	0	2	1	3	1	0
PERTH,	22·0	1·7	13	4	4	0	0	0	0	0	0	1	0	2	2	4	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 15.

WEEK ENDING SATURDAY, APRIL 14, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 14, 1900, was 21·3 per thousand of estimated population. This rate is 2·0 above that for the corresponding week of last year, but 0·4 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 16·6 per thousand; and the highest in Perth, viz., 40·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 132, being 23 below the number for the previous week.

The Mean Temperature was 45°·0, being 3°·5 above that for the week immediately preceding, and 3°·4 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 14, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending April 14, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1002	659	249	61·0	29·2	45·0	0·94
GLASGOW, . . .	12,681	743,969	58·668	9·76	465	302	111	56·4	29·2	45·6	1·10
EDINBURGH, . . .	8,804	302,262	34·332	12·76	153	124	38	55·9	33·4	44·4	0·57
DUNDEE, . . .	4,162	167,584	40·265	11·78	108	72	49	56·2	32·2	45·0	0·52
ABERDEEN, . . .	6,795	144,966	21·334	16·19	108	51	17	61·0	33·0	45·6	0·21
LEITH,	2,042	78,509	38·447	12·06	36	25	8
PAISLEY,	3,538	78,258	22·119	15·90	67	35	12	55·0	32·0	45·7	0·81
GREENOCK, . . .	1,440	60,567	42·060	11·53	49	26	10	51·0	34·7	43·7	2·68
PERTH,	2,122	30,820	14·524	19·62	16	24	4	57·0	34·0	44·7	0·70
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	1016	589	258	54·3	28·5	41·6	0·46

Week ending Saturday, APRIL 14, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 14, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include													
			Deaths from All Causes.		Deaths of			Deaths from								
	From All Causes	From Seven Zymotic Diseases.	Infants under One Year of Age,	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	21·3	2·1	659	160	160	0	19	4	3	17	4	19	2	132	113	23
GLASGOW, .	21·1	2·4	302	77	59	0	13	3	1	8	3	6	1	72	12	42
EDINBURGH, .	21·3	1·0	124	23	42	0	1	0	0	2	1	2	1	26	8	30
DUNDEE, .	22·3	2·8	72	20	12	0	2	0	0	1	0	6	0	15	2	7
ABERDEEN, .	18·3	2·9	51	18	12	0	0	0	0	3	0	5	0	8	4	7
LEITH, . . .	16·6	2·0	25	9	8	0	1	0	0	2	0	0	0	1	0	2
PAISLEY, . .	23·3	0·7	35	8	13	0	1	0	0	0	0	0	0	6	2	7
GREENOCK, .	22·3	2·6	26	3	8	0	0	1	2	0	0	0	0	1	1	8
PERTH, . . .	40·5	3·4	24	2	6	0	1	0	0	1	0	0	0	3	4	3

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 15, 1899.

TOWNS.	Annual Rate of Mortality per 1,000 living.		The Deaths Registered in the Week include													
	Deaths from All Causes.		Deaths of Infants under One Year of Age.				Deaths from				Deaths in Public Institutions.					
	From All Causes.	From Seven Zymotic Diseases.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.			
IN EIGHT TOWNS,	19.3	1.8	589	135	154	0	13	7	2	16	5	11	1	135	17	165
GLASGOW,	18.4	1.6	259	70	50	0	8	3	2	3	1	6	1	66	8	58
EDINBURGH,	17.9	1.4	103	15	37	0	2	2	0	3	0	1	0	15	4	28
DUNDEE,	21.3	1.9	68	15	14	0	0	0	0	3	2	1	0	18	0	60
ABERDEEN,	24.8	3.3	68	16	28	0	3	0	0	2	1	3	0	18	2	8
LEITH,	18.8	3.4	28	8	7	0	0	0	0	5	0	0	0	3	2	2
PAISLEY,	16.2	1.6	24	3	9	0	0	1	0	0	0	0	0	8	0	4
GREENOCK,	19.6	0.0	23	5	5	0	0	0	0	0	0	0	0	6	1	2
PERTH,	27.1	3.4	16	3	4	0	0	1	0	0	1	0	0	1	0	3

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 16.

WEEK ENDING SATURDAY, APRIL 21, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 21, 1900, was 21·0 per thousand of estimated population. This rate is 2·9 above that for the corresponding week of last year, but 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 18·4 per thousand; and the highest in Perth, viz., 25·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 143, being 11 above the number for the previous week.

The Mean Temperature was 51°·0, being 6°·0 above that for the week immediately preceding, and 10°·4 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 21, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending April 21, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1041	650	335	75·0	35·0	51·0	0·28
GLASGOW, . . .	12,681	743,969	58·668	9·76	509	306	181	71·9	40·0	51·5	0·37
EDINBURGH, . . .	8,804	302,262	34·332	12·76	170	107	59	70·2	38·8	51·4	0·25
DUNDEE, . . .	4,162	167,584	40·265	11·78	96	72	30	70·2	37·4	50·3	0·15
ABERDEEN, . . .	6,795	144,966	21·334	16·19	99	63	23	75·0	36·0	51·2	0·12
LEITH,	2,042	78,509	38·447	12·06	60	33	9	72·8	41·9	52·5	0·23
PAISLEY,	3,538	78,258	22·119	15·90	43	28	16	72·5	41·5	52·6	0·22
GREENOCK, . . .	1,440	60,567	42·060	11·53	49	26	12	67·0	40·0	49·2	0·58
PERTH,	2,122	30,820	14·524	19·62	15	15	5	70·0	35·0	49·4	0·32
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	961	554	226	56·0	25·0	40·6	0·61

Week ending Saturday, APRIL 21, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 21, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																														
			Deaths of		Deaths from																												
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.		Infants under One Year of Age.		Persons aged 60 Years & upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Hooping-cough.		Fever.		Diarrhea.		Croup and Laryngitis.		Bronchitis, Pneu- monia & Pleurisy.		Violence.		Deaths in Public Institutions.		Deaths from Uncertified Causes.		Deaths from Unspecified Causes.
In Eight Towns,	21·0	2·1	650	126			162		1	18		6		3		19		5		14		2		143		21		115		25		4	
GLASGOW, .	21·4	2·5	306	62	66	*1	0	11		5		2		10		3		4		1		74		4		58		15		4			
EDINBURGH, .	18·4	1·0	107	18	34	0	0	3		0		0		0		0		0		3		1		18		8		21		6		0	
DUNDEE, . .	22·3	1·2	72	15	16	0	0	2		0		0		0		0		0		2		0		21		2		9		0		0	
ABERDEEN, .	22·6	1·8	63	13	22	0	0	0		0		0		2		2		1		0		12		1		12		0		0			
LEITH, . . .	21·9	3·3	33	7	6	0	0	0		0		0		4		0		1		0		4		2		1		1		0			
PAISLEY, . .	18·6	2·0	28	4	8	0	1	0		0		1		1		0		0		1		0		2		3		7		2		0	
GREENOCK, .	22·3	3·4	26	7	6	0	0	1		1		1		0		0		2		0		7		1		5		1		0			
PERTH, . . .	25·3	5·1	15	0	4	0	1	0		0		2		0		0		0		0		5		0		2		0		0			

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 22, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include													
	Deaths from All Causes.		Deaths of				Deaths from									
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 50 Years & upwards;	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Cholera.	Small-pox.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	18.1	1.7	554	108	133	0	20	4	3	13	5	8	1	118	32	101
GLASGOW, .	19.3	2.1	272	55	47	0	11	2	2	6	5	3	1	57	17	55
EDINBURGH, .	17.2	1.2	99	16	27	0	3	0	0	1	0	3	0	20	3	24
DUNDEE, .	21.9	1.3	70	17	22	0	0	0	0	2	0	2	0	19	4	10
ABERDEEN, .	16.8	2.2	46	6	18	0	6	0	0	0	0	0	0	9	5	3
LEITH, . . .	12.1	1.3	18	5	4	0	0	1	0	1	0	0	0	4	0	3
PAISLEY, . .	12.2	0.7	18	3	4	0	0	0	0	1	0	0	0	4	0	2
GREENOCK, .	21.3	3.4	25	6	7	0	0	1	1	2	0	0	0	4	2	3
PERTH, . . .	10.2	0.0	6	0	4	0	0	0	0	0	0	0	0	1	1	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 17.

WEEK ENDING SATURDAY, APRIL 28, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 28, 1900, was 21·7 per thousand of estimated population. This rate is 0·6 above that for the corresponding week of last year, and 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·2 per thousand; and the highest in Glasgow, viz., 24·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 136, being 7 below the number for the previous week.

The Mean Temperature was 46°·6, being 4°·4 below that for the week immediately preceding, and 2°·2 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 28, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending April 28, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1092	672	313	68·5	29·0	46·6	0·19
GLASGOW, . . .	12,681	743,969	58·668	9·76	542	352	173	64·3	32·0	48·0	0·02
EDINBURGH, . . .	8,804	302,262	34·332	12·76	188	116	58	59·5	34·9	46·5	0·18
DUNDEE, . . .	4,162	167,584	40·265	11·78	80	61	22	59·6	32·0	44·9	0·11
ABERDEEN, . . .	6,795	144,966	21·334	16·19	101	55	20	62·2	29·0	44·4	0·21
LEITH, . . .	2,042	78,509	38·447	12·06	68	25	10	54·6	36·7	46·3	0·16
PAISLEY, . . .	3,538	78,258	22·119	15·90	54	26	12	66·5	33·9	49·0	0·05
GREENOCK, . . .	1,440	60,567	42·060	11·53	45	28	11	68·5	34·7	48·4	0·60
PERTH, . . .	2,122	30,820	14·524	19·62	14	9	7	61·0	29·0	45·1	0·19
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	1091	644	308	64·8	31·5	48·8	0·80

Week ending Saturday, APRIL 28, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 28, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of			Deaths from												
	From All Causes.	From All Causes.	Infants under One Year of Age.	From Seven Zymotic Diseases.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·7	2·4	672	134	144	2	24	6	5	23	2	13	5	136	27	179	30	2
GLASGOW,	24·6	3·4	352	72	61	2	20	5	1	14	1	5	4	85	16	92	19	2
EDINBURGH,	20·0	1·5	116	20	26	0	1	0	4	2	0	2	0	22	7	35	3	0
DUNDEE,	18·9	1·9	61	14	13	0	2	0	0	1	1	2	0	11	2	24	0	0
ABERDEEN,	19·7	2·9	55	12	16	0	0	0	0	4	0	4	1	8	1	14	5	0
LEITH,	16·6	0·0	25	5	5	0	0	0	0	0	0	0	0	0	0	3	0	0
PAISLEY,	17·3	2·0	26	7	7	0	1	1	0	1	0	0	0	3	0	5	1	0
GREENOCK,	24·0	0·0	28	3	11	0	0	0	0	0	0	0	0	4	1	3	2	0
PERTH,	15·2	1·7	9	1	5	0	0	0	0	1	0	0	0	3	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 29, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of			Deaths from												
	From All Causes.	From All Causes.	Infants under One Year of Age.	From Seven Zymotic Diseases.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·1	2·5	644	144	154	*1	30	5	3	22	5	11	6	111	135	28	1	
GLASGOW,	22·8	3·3	322	75	70	0	21	3	3	11	4	5	4	59	11	59	14	1
EDINBURGH,	17·0	1·0	98	17	27	0	3	0	0	3	0	0	0	15	4	34	7	0
DUNDEE,	19·7	1·6	63	16	13	*1	1	0	0	1	0	2	0	10	2	17	1	0
ABERDEEN,	22·6	2·9	62	14	16	0	5	1	0	0	0	2	0	5	4	12	2	0
LEITH,	20·2	4·0	30	9	7	0	0	0	0	6	0	0	1	7	0	3	0	0
PAISLEY,	21·0	1·4	31	8	8	0	0	0	0	1	0	1	0	5	0	3	3	0
GREENOCK,	17·9	2·6	21	3	5	0	0	1	0	0	1	1	1	5	0	3	1	0
PERTH,	28·8	0·0	17	2	8	0	0	0	0	0	0	0	0	2	4	0	0	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 18.

WEEK ENDING SATURDAY, MAY 5, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 5, 1900, was 20·5 per thousand of estimated population. This rate is 2·0 above that for the corresponding week of last year, but 1·2 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·9 per thousand; and the highest in Edinburgh, viz., 23·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 119, being 17 below the number for the previous week.

The Mean Temperature was 49°·1, being 2°·5 above that for the week immediately preceding, and 6°·8 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 5, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre, 1900.	Proximity in Yards.	Registered during the Week ending May 5, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1069	635	322	64·3	36·0	49·1	0·73
GLASGOW, . . .	12,681	743,969	58·668	9·76	511	296	181	64·3	36·5	50·3	0·65
EDINBURGH, . . .	8,804	302,262	34·332	12·76	182	134	69	59·9	40·0	48·4	0·43
DUNDEE, . . .	4,162	167,584	40·265	11·78	100	59	19	60·8	38·6	47·6	0·74
ABERDEEN, . . .	6,795	144,966	21·334	16·19	95	58	21
LEITH,	2,042	78,509	38·447	12·06	53	24	7	62·4	41·9	50·7	0·13
PAISLEY,	3,538	78,258	22·119	15·90	64	27	17	62·0	37·7	49·6	0·46
GREENOCK, . . .	1,440	60,567	42·060	11·53	44	24	3	59·7	36·0	48·2	2·15
PERTH,	2,122	30,820	14·524	19·62	20	13	5	62·0	37·0	49·1	0·53
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	1107	564	315	59·0	30·0	42·3	0·30

Week ending Saturday, MAY 5, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 5, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of		Deaths from													
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	20·5	2·1	635	145	131	0	15	2	6	24	6	13	1	119	34	141	38	4
GLASGOW, .	20·7	2·6	296	78	41	0	11	2	1	14	5	4	1	69	11	58	21	4
EDINBURGH, .	23·1	1·4	134	22	36	0	2	0	2	2	1	1	0	20	10	42	9	0
DUNDEE, . .	18·3	1·2	59	10	13	0	0	0	1	0	0	3	0	9	5	13	0	0
ABERDEEN, .	20·8	3·9	58	16	17	0	0	0	2	5	0	4	0	8	5	13	1	0
LEITH, . . .	15·9	0·7	24	6	7	0	1	0	0	0	0	0	0	3	0	4	0	0
PAISLEY, . .	17·9	2·0	27	8	5	0	1	0	0	1	0	1	0	4	0	5	2	0
GREENOCK, .	20·6	0·9	24	4	7	0	0	0	0	1	0	0	0	4	2	3	4	0
PERTH, . . .	21·9	1·7	13	1	5	0	0	0	0	1	0	0	0	2	1	3	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 6, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of		Deaths from													
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	18·5	1·7	564	116	128	0	16	3	5	19	2	7	1	108	23	123	34	4
GLASGOW, .	20·1	1·8	284	58	55	0	14	2	2	5	1	2	1	61	11	74	17	4
EDINBURGH, .	18·3	1·6	105	20	26	0	1	0	0	8	0	0	0	17	3	24	13	0
DUNDEE, . .	18·2	2·5	58	12	19	0	1	1	1	1	1	3	0	6	2	8	0	0
ABERDEEN, .	14·9	2·2	41	10	8	0	0	0	2	3	0	1	0	6	2	6	1	0
LEITH, . . .	12·8	1·3	19	7	3	0	0	0	0	2	0	0	0	4	1	2	0	0
PAISLEY, . .	18·3	0·7	27	7	8	0	0	0	0	0	0	1	0	9	3	7	0	0
GREENOCK, .	17·9	0·0	21	1	6	0	0	0	0	0	0	0	0	4	0	0	2	0
PERTH, . . .	15·2	0·0	9	1	3	0	0	0	0	0	0	0	1	1	1	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 19.

WEEK ENDING SATURDAY, MAY 12, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 12, 1900, was 17·7 per thousand of estimated population. This rate is 0·8 below that for the corresponding week of last year, and 2·8 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 9·9 per thousand; and the highest in Paisley, viz., 21·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 90, being 29 below the number for the previous week.

The Mean Temperature was 47°·4, being 1°·7 below that for the week immediately preceding, and 1°·0 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 12, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending May 12, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1025	546	91	68·4	34·6	47·4	0·41
GLASGOW, . . .	12,681	743,969	58·668	9·76	524	282	41	68·4	37·8	49·2	0·70
EDINBURGH, . . .	8,804	302,262	34·332	12·76	164	94	16	62·7	38·8	46·6	0·29
DUNDEE, . . .	4,162	167,584	40·265	11·78	109	54	18	62·6	35·7	46·7	0·36
ABERDEEN, . . .	6,795	144,966	21·334	16·19	76	34	10	58·0	34·6	45·1	0·16
LEITH,	2,042	78,509	38·447	12·06	50	15	2	59·6	40·1	46·8	0·55
PAISLEY, . . .	3,538	78,258	22·119	15·90	45	32	3	65·0	39·0	48·8	0·31
GREENOCK, . . .	1,440	60,567	42·060	11·53	37	23	0	64·0	36·7	49·1	0·39
PERTH,	2,122	30,820	14·524	19·62	20	12	1	64·0	35·0	46·9	0·53
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	1072	565	108	64·4	30·5	48·4	0·91

Week ending Saturday, MAY 12, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, May 12, 1900.

TOWNS.	The Deaths Registered in the Week include										
	Annual Rate of Mortality per 1000 living.			Deaths of				Deaths from			
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Diphtheria.	Hooping-cough.	Scarlet Fever.	Fever.
In Eight Towns,	17·7	2·0	546	106	124	0	16	7	6	22	3
GLASGOW,	19·7	2·7	282	54	55	0	9	4	2	16	3
EDINBURGH,	16·2	1·7	94	12	22	0	2	2	0	0	4
DUNDEE,	16·8	0·0	54	12	14	0	0	0	0	0	0
ABERDEEN,	12·2	2·5	34	8	11	0	1	0	2	4	0
LEITH,	9·9	0·7	15	1	4	0	1	0	0	0	0
PAISLEY,	21·3	2·7	32	8	9	0	2	1	0	1	0
GREENOCK,	19·7	0·0	23	8	7	0	0	0	0	0	0
PERTH,	20·2	3·4	12	3	2	0	1	0	0	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 13, 1899.

TOWNS.	The Deaths Registered in the Week include										
	Annual Rate of Mortality per 1000 living.			Deaths of				Deaths from			
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Diphtheria.	Hooping-cough.	Scarlet Fever.	Fever.
In Eight Towns,	18·5	1·8	565	146	125	1	27	3	10	3	4
GLASGOW,	19·1	2·1	270	67	45	0	20	0	3	2	4
EDINBURGH,	17·4	1·7	100	25	29	*1	1	2	1	3	2
DUNDEE,	22·2	1·3	71	20	17	0	0	1	1	0	15
ABERDEEN,	17·5	2·2	48	13	14	0	4	0	1	0	0
LEITH,	16·8	2·0	25	7	6	0	2	0	0	1	1
PAISLEY,	18·9	0·7	28	11	7	0	0	0	1	0	1
GREENOCK,	13·7	0·0	16	3	3	0	0	0	0	3	1
PERTH,	11·8	0·0	7	0	4	0	0	0	0	1	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 20.

WEEK ENDING SATURDAY, MAY 19, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 19, 1900, was 19·5 per thousand of estimated population. This rate is 0·5 above that for the corresponding week of last year, and 1·8 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·2 per thousand; and the highest in Perth, viz., 30·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·8 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 79, being 11 below the number for the previous week.

The Mean Temperature was 49°·1, being 1°·7 above that for the week immediately preceding and 0°·7 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 19, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending May 19, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	990	602	72	75·0	28·5	49·1	0·03
GLASGOW, . . .	12,681	743,969	58·668	9·76	463	290	38	71·3	33·4	49·4	0·00
EDINBURGH, . . .	8,804	302,262	34·332	12·76	171	106	14	68·7	37·2	50·0	0·02
DUNDEE, . . .	4,162	167,584	40·265	11·78	96	68	8	69·9	33·3	48·5	0·00
ABERDEEN, . . .	6,795	144,966	21·334	16·19	106	42	7	67·0	35·0	47·2	0·16
LEITH,	2,042	78,509	38·447	12·06	51	20	2	68·9	38·9	49·7	0·00
PAISLEY,	3,538	78,258	22·119	15·90	46	37	2	75·0	34·3	52·2	0·00
GREENOCK, . . .	1,440	60,567	42·060	11·53	42	21	0	69·2	35·5	48·6	0·06
PERTH,	2,122	30,820	14·524	19·62	15	18	1	72·0	28·5	47·0	0·00
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	993	581	71	62·0	35·0	48·4	2·63

Week ending Saturday, MAY 19, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 19, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.	The Deaths Registered in the Week include																
		Deaths of					Deaths from											
		From All Causes.	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19·5	2·8	602	122	125	1	19	7	7	30	6	15	5	79	27	151	21	3
GLASGOW, .	20·3	3·8	290	64	50	1	10	5	4	23	2	10	1	43	12	66	5	3
EDINBURGH, .	18·2	1·7	106	15	28	0	5	0	2	1	1	1	2	12	6	36	7	0
DUNDEE, .	21·1	1·9	68	16	14	0	3	0	0	0	1	2	0	10	2	13	0	0
ABERDEEN, .	15·1	1·8	42	9	11	0	0	0	0	4	1	0	1	2	2	10	2	0
LEITH, . . .	13·2	0·7	20	5	5	0	1	0	0	0	0	0	0	0	1	1	5	0
PAISLEY, . .	24·6	1·3	37	6	12	0	0	1	0	1	0	0	0	0	6	0	15	2
GREENOCK, .	18·0	3·4	21	5	0	0	0	1	1	0	0	2	1	2	4	2	5	0
PERTH, . . .	30·4	3·4	18	2	5	0	0	0	0	1	1	0	0	3	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 20, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.	The Deaths Registered in the Week include																	
		Deaths from All Causes			Deaths of			Deaths from											
		From All Causes.	From Seven Zymotic Diseases.	Deaths under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pleuronia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	Deaths from Uncertified Causes.
In Eight Towns,	19·0	2·0	581	122	138	0	21	8	5	12	5	9	3	100	25	115			
GLASGOW, .	20·5	2·2	290	66	64	0	17	5	2	2	1	4	2	61	13	57	11	1	1
EDINBURGH, .	18·4	1·6	106	23	27	0	2	1	0	3	2	1	0	13	5	31	8	0	0
DUNDEE, . .	17·8	1·6	57	10	9	0	0	1	2	1	0	1	0	7	3	3	0	1	1
ABERDEEN, .	19·3	1·8	53	11	22	0	2	1	1	0	0	1	1	5	1	9	0	1	1
LEITH, . . .	22·2	6·0	33	7	5	0	0	0	0	6	1	2	0	3	1	7	0	0	0
PAISLEY, . .	12·8	0·0	19	2	5	0	0	0	0	0	0	0	0	4	1	4	0	0	0
GREENOCK, .	10·2	0·9	12	2	4	0	0	0	0	0	1	0	0	3	1	2	0	0	0
PERTH, . . .	18·6	0·0	11	1	2	0	0	0	0	0	0	0	0	4	0	2	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 21.

WEEK ENDING SATURDAY, MAY 26, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 26, 1900, was 19·6 per thousand of estimated population. This rate is 2·7 above that for the corresponding week of last year, and 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·6 per thousand; and the highest in Glasgow, viz., 21·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 92, being 13 above the number for the previous week.

The Mean Temperature was 51°·9, being 2°·8 above that for the week immediately preceding and 7°·5 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 26, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending May 26, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	897	606	88	67·0	34·0	51·9	0·66
GLASGOW, . . .	12,681	743,969	58·668	9·76	436	306	39	67·0	40·2	52·9	0·63
EDINBURGH, . . .	8,804	302,262	34·332	12·76	147	119	22	64·1	42·7	53·1	0·49
DUNDEE, . . .	4,162	167,584	40·265	11·78	76	48	8	64·8	39·8	51·5	0·80
ABERDEEN, . . .	6,795	144,966	21·334	16·19	91	57	13	63·0	39·5	49·1	0·39
LEITH,	2,042	78,509	38·447	12·06	37	16	0	63·7	41·8	53·7	0·33
PAISLEY, . . .	3,538	78,258	22·119	15·90	46	25	1	64·1	41·9	52·5	0·62
GREENOCK, . . .	1,440	60,567	42·060	11·53	47	23	2	60·0	42·5	51·3	1·44
PERTH,	2,122	30,820	14·524	19·62	17	12	3	63·0	34·0	51·4	0·59
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	1001	516	100	62·3	31·0	44·4	0·21

Week ending Saturday, MAY 26, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 26, 1900.

TOWNS.	The Deaths Registered in the Week include																	
	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.		Deaths from All Causes.		Deaths from All Causes.		Deaths from All Causes.		Deaths from All Causes.		Deaths from All Causes.					
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	19·6	2·5	606	114	130	1	10	3	5	36	2	19	2	92	31	129	28	2
GLASGOW,	21·4	3·4	306	59	59	1	6	2	2	28	1	9	2	46	12	55	17	1
EDINBURGH,	20·5	1·2	119	21	31	0	2	0	1	1	0	3	0	19	9	36	6	0
DUNDEE,	14·9	1·2	48	10	12	0	0	0	1	0	0	3	0	9	4	10	0	0
ABERDEEN,	20·4	3·6	57	17	7	0	0	0	0	6	1	3	0	3	4	11	1	0
LEITH,	10·6	1·3	16	2	3	0	2	0	0	0	0	0	0	3	0	3	0	1
PAISLEY,	16·6	0·0	25	2	8	0	0	0	0	0	0	0	0	5	1	4	4	0
GREENOCK,	19·7	2·6	23	1	7	0	0	1	1	1	0	0	0	6	1	3	0	0
PERTH,	20·2	1·7	12	2	3	0	0	0	0	0	0	1	0	1	0	7	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, May 27, 1899.

TOWNS.	The Deaths Registered in the Week include																	
	Annual Rate of Mortality per 1000 living.		Deaths of		Deaths from		Deaths from		Deaths from		Deaths from		Deaths from					
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Urticaria and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.			
In Eight Towns,	16·9	1·7	516	102	119	0	11	3	1	17	1	19	0	24	97	24	3	
GLASGOW,	18·9	1·6	267	49	52	0	9	2	0	4	0	8	0	53	18	45	8	3
EDINBURGH,	14·6	0·9	84	21	28	0	1	0	0	4	0	0	0	10	3	16	10	0
DUNDEE,	16·3	2·8	52	9	11	0	0	0	0	3	0	6	0	6	0	11	3	0
ABERDEEN,	13·9	1·1	38	5	11	0	0	0	1	0	0	2	0	5	0	11	0	0
LEITH,	14·8	4·0	22	3	2	0	1	0	0	4	0	1	0	2	1	3	1	0
PAISLEY,	20·3	2·7	30	10	7	0	0	0	0	2	1	1	0	3	1	5	1	0
GREENOCK,	8·5	1·7	10	2	2	0	0	1	0	0	0	1	0	1	0	3	0	0
PERTH,	22·0	0·0	13	3	6	0	0	0	0	0	0	0	0	0	1	3	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 22.

WEEK ENDING SATURDAY, JUNE 2, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 2, 1900, was 18·6 per thousand of estimated population. This rate is 1·3 below that for the corresponding week of last year, and 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 12·6 per thousand; and the highest in Perth, viz., 23·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 101, being 9 above the number for the previous week.

The Mean Temperature was 53°0, being 1°1 above that for the week immediately preceding, but 2°8 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 2, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending June 2, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	886	575	170	69·0	39·0	53·0	0·22
GLASGOW, . . .	12,681	743,969	58·668	9·76	415	296	74	68·0	40·9	54·3	0·14
EDINBURGH, . . .	8,804	302,262	34·332	12·76	163	110	46	65·7	42·8	52·2	0·08
DUNDEE, . . .	4,162	167,584	40·265	11·78	96	51	11	65·6	43·2	52·2	0·18
ABERDEEN, . . .	6,795	144,966	21·334	16·19	74	39	19	65·4	40·7	51·2	0·01
LEITH,	2,042	78,509	38·447	12·06	38	19	6	67·0	44·0	52·7	0·06
PAISLEY,	3,538	78,258	22·119	15·90	49	28	9	69·0	43·8	54·6	0·22
GREENOCK, . . .	1,440	60,567	42·060	11·53	41	18	3	65·5	45·0	53·2	0·92
PERTH,	2,122	30,820	14·524	19·62	10	14	2	69·0	39·0	53·3	0·12
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	992	607	255	76·0	33·0	55·8	0·03

Week ending Saturday, JUNE 2, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 2, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.			The Deaths Registered in the Week include														
	Deaths from All Causes.			Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·6	2·4	575	110	133	1	16	1	4	25	1	25	3	101	38	136	41	3
GLASGOW, .	20·7	3·7	296	56	54	1	14	0	3	21	1	13	2	57	22	74	22	3
EDINBURGH, .	18·9	0·5	110	14	30	0	1	0	0	0	0	2	1	18	6	27	10	0
DUNDEE, . .	15·8	1·2	51	15	14	0	0	0	0	0	0	4	0	5	3	10	0	0
ABERDEEN, .	14·0	1·8	39	6	16	0	0	0	0	2	0	3	0	7	3	9	2	0
LEITH, . . .	12·6	1·3	19	3	2	0	1	0	0	0	0	1	0	3	1	2	1	0
PAISLEY, . .	18·6	0·7	28	6	8	0	0	0	0	0	0	1	0	5	2	6	5	0
GREENOCK, .	15·5	2·6	18	8	5	0	0	1	1	0	0	1	0	2	1	4	1	0
PERTH, . . .	23·6	3·4	14	2	4	0	0	0	0	2	0	0	0	4	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 3, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.			The Deaths Registered in the Week include														
	Deaths from All Causes.			Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·9	2·2	607	127	138	0	16	11	5	16	3	17	4	104	23	140	41	1
GLASGOW, .	20·6	2·8	291	71	59	0	12	6	2	7	1	11	2	46	14	60	18	1
EDINBURGH, .	20·9	2·3	120	20	29	0	3	2	0	6	1	1	0	17	2	37	12	0
DUNDEE, . .	18·8	1·6	60	10	15	0	0	0	1	0	1	3	0	13	3	17	3	0
ABERDEEN, .	20·8	1·1	57	14	16	0	1	0	0	0	0	2	2	8	3	13	2	0
LEITH, . . .	15·5	2·0	23	7	5	0	0	0	0	3	0	0	0	5	0	4	2	0
PAISLEY, . .	16·9	2·7	25	3	3	0	0	3	1	0	0	0	0	7	0	6	1	0
GREENOCK, .	17·9	0·9	21	1	6	0	0	0	1	0	0	0	0	6	1	1	2	0
PERTH, . . .	16·9	0·0	10	1	5	0	0	0	0	0	0	0	0	2	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 23.

WEEK ENDING SATURDAY, JUNE 9, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 9, 1900, was 18·3 per thousand of estimated population. This rate is 0·6 below that for the corresponding week of last year, and 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 13·3 per thousand; and the highest in Greenock, viz., 21·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·9 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 100, being one below the number for the previous week.

The Mean Temperature was 52°·7, being 0°·3 below that for the week immediately preceding, and 7°·3 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 9, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre, 1900.	Proximity in Yards.	Registered during the Week ending June 9, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1030	564	618	76·1	38·0	52·7	0·27
GLASGOW, . . .	12,681	743,969	58·668	9·76	501	285	292	76·1	41·3	56·3	0·30
EDINBURGH, . . .	8,804	302,262	34·332	12·76	170	93	147	67·7	41·4	50·7	0·22
DUNDEE, . . .	4,162	167,584	40·265	11·78	114	60	54	62·6	39·2	48·7	0·18
ABERDEEN, . . .	6,795	144,966	21·334	16·19	93	44	46	62·0	38·0	49·4	0·20
LEITH,	2,042	78,509	38·447	12·06	43	26	32	61·8	41·9	50·3	0·26
PAISLEY,	3,538	78,258	22·119	15·90	56	20	15	75·5	43·9	57·2	0·16
GREENOCK, . . .	1,440	60,567	42·060	11·53	33	25	17	72·0	45·0	57·3	0·54
PERTH,	2,122	30,820	14·524	19·62	20	11	15	71·0	39·0	51·8	0·33
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	961	576	621	82·5	41·0	60·0	0·00

Week ending Saturday, JUNE 9, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 9, 1900.

TOWNS.	The Deaths Registered in the Week include											
	Annual Rate of Mortality per 1000 living.	Deaths of			Deaths from							
		Deaths from All Causes.			Deaths from All Causes.							
In Eight Towns,	18·3	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.
GLASGOW, .	19·9	3·0	285	51	57	*1	14	4	2	14	4	4
EDINBURGH, .	16·0	1·2	93	17	23	0	4	0	1	1	0	1
DUNDEE, . .	18·6	0·9	60	13	15	0	0	0	0	0	1	2
ABERDEEN, .	15·8	0·7	44	11	16	0	0	0	0	2	0	0
LEITH, . . .	17·2	0·7	26	6	3	0	1	0	0	0	0	0
PAISLEY, . .	13·3	1·3	20	1	4	0	0	2	0	0	0	0
GREENOCK, .	21·5	0·0	25	8	7	0	0	0	0	0	0	0
PERTH, . . .	18·5	0·0	11	3	3	0	0	0	0	0	0	0

* Chicken-pox.

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 10, 1899.

TOWNS.	The Deaths Registered in the Week include											
	Annual Rate of Mortality per 1000 living.	Deaths of			Deaths from							
		Deaths from All Causes.			Deaths from All Causes.							
In Eight Towns,	18·9	2·2	576	116	131	0	25	5	2	16	6	Fever.
GLASGOW, .	18·7	2·9	264	62	49	0	24	4	1	4	4	Diarrhoea.
EDINBURGH, .	18·8	1·0	108	18	29	0	1	1	0	4	0	Croup and Laryngitis.
DUNDEE, . .	21·3	1·9	68	13	19	0	0	0	0	3	1	Bronchitis, Pneumonia & Pleurisy.
ABERDEEN, .	19·7	1·8	54	12	14	0	0	0	1	0	4	Violence.
LEITH, . . .	14·1	4·0	21	4	4	0	0	0	0	5	0	Deaths in Public Institutions.
PAISLEY, . .	17·6	1·4	26	4	6	0	0	0	0	0	2	Deaths from Uncertified Causes.
GREENOCK, .	17·9	0·0	21	2	5	0	0	0	0	0	2	Deaths from Unspecified Causes.
PERTH, . . .	23·7	0·0	14	1	5	0	0	0	0	0	0	Deaths from Public Institutions.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 24.

WEEK ENDING SATURDAY, JUNE 16, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 16, 1900, was 19·9 per thousand of estimated population. This rate is 2·0 above that for the corresponding week of last year, and 1·6 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 17·2 per thousand; and the highest in Perth, viz., 27·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 100, being the same number as for the previous week.

The Mean Temperature was 60°·9, being 8°·2 above that for the week immediately preceding, and 0°·6 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 16, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending June 16, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1014	616	544	77·0	45·0	60·9	0·77
GLASGOW, . . .	12,681	743,969	58·668	9·76	494	286	255	77·0	45·2	63·3	1·52
EDINBURGH, . . .	8,804	302,262	34·332	12·76	172	110	135	75·6	47·0	61·4	0·83
DUNDEE, . . .	4,162	167,584	40·265	11·78	81	66	33	74·0	47·6	59·5	0·45
ABERDEEN, . . .	6,795	144,966	21·334	16·19	98	61	46	72·8	46·5	57·4	0·52
LEITH, . . .	2,042	78,509	38·447	12·06	52	27	22	75·9	49·6	60·7	0·90
PAISLEY, . . .	3,538	78,258	22·119	15·90	46	30	29	76·4	47·9	63·0	0·55
GREENOCK, . . .	1,440	60,567	42·060	11·53	51	20	14	74·0	49·0	60·7	0·83
PERTH, . . .	2,122	30,820	14·524	19·62	20	16	10	76·0	45·0	61·1	0·54
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	1025	546	576	82·9	38·0	60·3	0·07

Week ending Saturday, JUNE 16, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 16, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths from All Causes.		Deaths of			Deaths from										
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	19·9	2·5	616	136	0	23	6	4	21	2	22	1	100	27	124	28	2	
GLASGOW, .	20·0	3·3	286	61	43	0	14	1	17	2	12	0	43	11	62	12	2	
EDINBURGH, .	18·9	1·9	110	27	29	0	4	2	1	2	0	2	0	11	6	23	12	0
DUNDEE, . .	20·5	2·5	66	19	12	0	3	0	0	0	5	1	17	5	9	2	0	
ABERDEEN, .	21·9	1·4	61	14	16	0	0	1	1	2	0	0	0	7	3	12	0	
LEITH, . . .	17·9	0·7	27	7	8	0	1	0	0	0	0	0	0	6	1	4	1	0
PAISLEY, . .	19·9	2·0	30	1	7	0	1	1	1	0	0	0	0	7	1	5	1	0
GREENOCK, .	17·2	3·4	20	6	8	0	0	1	0	0	0	3	0	5	0	4	0	0
PERTH, . . .	27·0	0·0	16	1	7	0	0	0	0	0	0	0	0	4	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 17, 1899.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 25.

WEEK ENDING SATURDAY, JUNE 23, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 23, 1900, was 16·5 per thousand of estimated population. This rate is 0·2 below that for the corresponding week of last year, and 3·4 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 8·6 per thousand; and the highest in Glasgow, viz., 18·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·9 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 87, being 13 below the number for the previous week.

The Mean Temperature was 58°·2, being 2°·7 below that for the week immediately preceding, but 0°·8 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 23, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending June 23, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1069	510	474	73·5	42·5	58·2	0·84
GLASGOW, . . .	12,681	743,969	58·668	9·76	510	269	243	72·0	44·0	58·6	1·02
EDINBURGH, . . .	8,804	302,262	34·332	12·76	178	99	101	70·3	48·1	59·1	0·36
DUNDEE, . . .	4,162	167,584	40·265	11·78	104	49	33	73·5	46·4	58·7	0·58
ABERDEEN, . . .	6,795	144,966	21·334	16·19	94	38	48	67·2	43·6	55·4	1·05
LEITH,	2,042	78,509	38·447	12·06	57	13	15	71·9	49·6	59·5	0·80
PAISLEY,	3,538	78,258	22·119	15·90	58	16	15	70·5	45·8	59·1	1·38
GREENOCK, . . .	1,440	60,567	42·060	11·53	51	17	8	69·0	47·0	57·9	0·48
PERTH,	2,122	30,820	14·524	19·62	17	9	11	72·0	42·5	57·6	1·08
Corresponding Week of 1899. — Eight Towns.	41,214	1,587,414	38·516	12·04	1018	503	449	73·0	44·5	57·4	0·47

Week ending Saturday, JUNE 23, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 23, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include													
			Deaths from All Causes.		Deaths of			Deaths from								
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	16·5	1·9	510	122		106	1	14	2	4	18	2	19		124	
GLASGOW, .	18·8	2·7	263	66	47	1	11	2	3	16	1	5	0	49	70	11
EDINBURGH, .	17·0	2·1	99	26	19	0	2	0	1	1	1	7	0	19	23	6
DUNDEE, . .	15·2	1·2	49	10	13	0	1	0	0	1	0	2	0	6	1	8
ABERDEEN, .	13·6	0·4	38	10	11	0	0	0	0	0	0	1	0	6	4	13
LEITH, . . .	8·6	0·7	13	4	1	0	0	0	0	0	0	1	0	1	2	1
PAISLEY, . .	10·6	1·3	16	3	5	0	0	0	0	0	0	2	0	4	1	0
GREENOCK, .	14·6	0·9	17	3	6	0	0	0	0	0	0	1	0	1	3	5
PERTH, . . .	15·2	0·0	9	0	4	0	0	0	0	0	0	0	0	1	0	4

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 24, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths from All Causes			Deaths of			Deaths from			Deaths from			Deaths from			
	From All Causes	From Seven Zymotic Diseases	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Diphtheria.	Scarlet Fever.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Suspected Causes.		
In Eight Towns,	16·7	2·0	5·09	92	106	0	16	10	8	14				27	136	21	1	
GLASGOW, .	16·6	2·3	23·4	42	39	0	13	5	2	3	0	9	0	32	15	66	12	1
EDINBURGH, .	17·9	1·7	10·3	17	24	0	1	1	3	4	0	1	0	13	7	36	7	0
DUNDEE, . .	16·0	1·3	5·1	10	13	0	0	0	2	1	1	0	0	8	2	12	0	0
ABERDEEN, .	16·4	0·7	4·5	7	15	0	0	0	1	0	0	1	0	9	0	8	0	0
LEITH, . . .	17·5	5·4	26	9	6	0	2	0	0	6	0	0	0	5	2	1	1	0
PAISLEY, . .	12·2	0·7	18	2	3	0	0	0	0	0	0	1	0	5	0	5	1	0
GREENOCK, .	19·6	4·3	23	3	4	0	0	4	0	0	0	1	0	2	1	5	0	0
PERTH, . . .	15·2	0·0	9	2	2	0	0	0	0	0	0	0	0	0	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 26.

WEEK ENDING SATURDAY, JUNE 30, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 30, 1900, was 17·9 per thousand of estimated population. This rate is 0·2 above that for the corresponding week of last year, and 1·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 12·6 per thousand; and the highest in Greenock, viz., 25·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·8 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 93, being 6 above the number for the previous week.

The Mean Temperature was 56°·6, being 1°·6 below that for the week immediately preceding, and 0°·8 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 30, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending June 30, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1056	552	482	69·4	43·0	56·6	1·09
GLASGOW, . . .	12,681	743,969	58·668	9·76	501	271	249	66·0	45·0	56·5	1·69
EDINBURGH, . . .	8,804	302,262	34·332	12·76	173	101	85	66·6	46·6	56·7	1·37
DUNDEE, . . .	4,162	167,584	40·265	11·78	102	58	36	69·4	45·4	57·5	0·35
ABERDEEN, . . .	6,795	144,966	21·334	16·19	92	37	44	63·2	45·0	55·3	0·17
LEITH, . . .	2,042	78,509	38·447	12·06	60	19	22	68·8	49·1	57·4	1·32
PAISLEY, . . .	3,538	78,258	22·119	15·90	54	23	15
GREENOCK, . . .	1,440	60,567	42·060	11·53	57	30	17	66·2	46·2	55·9	2·18
PERTH, . . .	2,122	30,820	14·524	19·62	17	13	14	68·5	43·0	56·7	0·54
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	971	539	467	74·0	42·5	57·4	1·72

Week ending Saturday, JUNE 30, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 30, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.	The Deaths Registered in the Week include									
		Deaths of			Deaths from						
		From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Fever.
In Eight Towns,	17·9	2·7	552	126	114	2	18	7	2	26	4
GLASGOW, .	18·9	3·6	271	60	46	2	11	5	1	23	24
EDINBURGH, .	17·4	1·9	101	19	30	0	4	1	0	0	8
DUNDEE, . .	18·0	2·2	58	16	4	0	1	1	0	1	4
ABERDEEN, .	13·3	1·4	37	14	12	0	0	0	0	3	0
LEITH, . . .	12·6	2·6	19	6	4	0	1	0	1	0	1
PAISLEY, . .	15·3	1·3	23	2	5	0	1	0	0	0	1
GREENOCK, .	25·8	3·4	30	8	8	0	0	0	1	0	3
PERTH, . . .	21·9	0·0	13	1	5	0	0	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 1, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.	The Deaths Registered in the Week include									
		Deaths of			Deaths from						
		From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Fever.
In Eight Towns,	17·7	2·2	539	119	108	0	15	8	4	10	3
GLASGOW, .	17·6	2·1	248	48	43	0	11	6	2	0	0
EDINBURGH, .	17·9	2·1	103	25	25	0	2	0	0	4	26
DUNDEE, . .	18·5	3·1	59	22	10	0	0	0	1	4	0
ABERDEEN, .	12·0	1·5	33	6	7	0	1	0	0	0	3
LEITH, . . .	13·4	0·7	20	4	6	0	1	0	0	0	0
PAISLEY, . .	25·0	2·7	37	6	6	0	0	1	0	2	1
GREENOCK, .	21·3	1·7	25	7	5	0	0	0	0	0	0
PERTH, . . .	23·7	5·1	14	1	6	0	0	1	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 27.

WEEK ENDING SATURDAY, JULY 7, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 7, 1900, was 17·7 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, but 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 8·4 per thousand; and the highest in Glasgow, viz., 20·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 72, being 21 below the number for the previous week.

The Mean Temperature was 57°·4, being 0°·8 above that for the week immediately preceding, but 3°·2 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 7, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending July 7, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	938	546	438	73·2	43·0	57·4	0·55
GLASGOW, . . .	12,681	743,969	58·668	9·76	466	290	197	68·7	48·0	58·3	0·79
EDINBURGH, . . .	8,804	302,262	34·332	12·76	140	91	98	68·7	48·0	57·3	0·44
DUNDEE, . . .	4,162	167,584	40·265	11·78	102	65	30	73·2	46·2	57·6	0·70
ABERDEEN, . . .	6,795	144,966	21·334	16·19	84	52	49	71·2	44·0	56·0	0·22
LEITH,	2,042	78,509	38·447	12·06	49	16	15	68·9	48·8	58·2	0·51
PAISLEY,	3,538	78,258	22·119	15·90	48	14	7	72·1	47·2	58·5	0·42
GREENOCK, . . .	1,440	60,567	42·060	11·53	38	13	27	65·7	45·0	56·1	0·49
PERTH,	2,122	30,820	14·524	19·62	11	5	15	68·0	43·0	57·1	0·79
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	940	515	440	76·8	44·5	60·6	0·59

EDINBURGH : Printed for Her Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by JOHN MENZIES & CO., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

N.—240—7/1900. 65.

[TURN OVER.]

Week ending Saturday, JULY 7, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 7, 1900.

TOWNS.	The Deaths Registered in the Week include															
	Deaths of			Deaths from												
	From All Causes.	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	17·7	2·8	546	121	119	2	20	4	2	22	3	32	0	72	28	117
GLASGOW,	20·3	3·8	290	67	45	2	13	3	0	17	3	16	0	40	19	55
EDINBURGH,	15·7	1·7	91	13	25	0	3	0	1	1	0	5	0	9	4	32
DUNDEE,	20·2	2·2	65	23	17	0	2	0	0	1	0	4	0	13	4	12
ABERDEEN,	18·7	1·8	52	11	16	0	0	0	0	1	0	4	0	6	1	12
LEITH,	10·6	3·3	16	3	5	0	1	0	0	1	0	3	0	0	0	2
PAISLEY,	9·3	2·0	14	4	2	0	1	1	0	1	0	0	0	3	0	0
GREENOCK,	11·2	0·9	13	0	7	0	0	0	1	0	0	0	0	1	0	4
PERTH,	8·4	0·0	5	0	2	0	0	0	0	0	0	0	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 8, 1899.

TOWNS.	The Deaths Registered in the Week include														
	Deaths of			Deaths from											
	From All Causes.	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.
In Eight Towns,	16·9	2·2	515	101	118	0	24	6	1	8	3	24	2	19	118
GLASGOW,	18·1	3·0	256	50	47	0	21	5	0	3	1	13	2	10	62
EDINBURGH,	16·0	1·4	92	19	26	0	2	1	0	1	0	4	0	10	21
DUNDEE,	19·1	1·9	61	16	15	0	0	0	0	1	1	4	0	7	16
ABERDEEN,	15·3	0·7	42	7	14	0	0	0	0	0	0	2	0	5	0
LEITH,	14·1	3·4	21	5	3	0	1	0	1	3	0	0	0	1	4
PAISLEY,	16·9	0·0	25	2	8	0	0	0	0	0	0	0	0	2	3
GREENOCK,	12·8	0·9	15	0	4	0	0	0	0	0	1	0	0	2	1
PERTH,	5·1	1·7	3	2	1	0	0	0	0	0	0	1	0	0	1

W E E K L Y R E T U R N

of

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 28.

WEEK ENDING SATURDAY, JULY 14, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 14, 1900, was 17·2 per thousand of estimated population. This rate is 0·5 above that for the corresponding week of last year, but 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·6 per thousand; and the highest in Dundee, viz., 20·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 71, being one below the number for the previous week.

The Mean Temperature was 60°·9, being 3°·5 above that for the week immediately preceding, and 1°·3 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 14, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending July 14, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	958	533	436	78·9	38·0	60·9	0·57
GLASGOW, . . .	12,681	743,969	58·668	9·76	460	249	246	76·6	44·0	60·5	0·37
EDINBURGH, . . .	8,804	302,262	34·332	12·76	170	105	76	77·4	46·1	62·0	0·40
DUNDEE, . . .	4,162	167,584	40·265	11·78	106	66	15	77·8	41·7	61·6	0·64
ABERDEEN, . . .	6,795	144,966	21·334	16·19	82	42	32	74·0	40·0	60·5	1·03
LEITH, . . .	2,042	78,509	38·447	12·06	45	16	14	78·9	47·4	62·6	0·46
PAISLEY, . . .	3,538	78,258	22·119	15·90	44	25	20	75·2	47·9	60·6	0·54
GREENOCK, . . .	1,440	60,567	42·060	11·53	46	20	25	71·5	46·0	59·1	0·49
PERTH, . . .	2,122	30,820	14·524	19·62	5	10	8	76·5	38·0	60·3	0·67
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	933	510	546	72·9	45·0	59·6	1·17

Week ending Saturday, JULY 14, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 14, 1900.

TOWNS.	The Deaths Registered in the Week include									
	Annual Rate of Mortality per 1000 living.	Deaths of		Deaths from						
		From All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.
In Eight Towns,	17·2	2·4	533	117	113	2	17	7	21	0
GLASGOW, .	17·4	2·8	249	66	40	*2	9	5	12	0
EDINBURGH, .	18·1	1·9	105	12	27	0	6	1	1	0
DUNDEE, .	20·5	1·2	66	17	19	0	0	0	2	0
ABERDEEN, .	15·1	1·1	42	11	13	0	0	0	1	0
LEITH, . . .	10·6	0·7	16	2	4	0	0	0	1	0
PAISLEY, . .	16·6	4·7	25	3	3	0	2	1	0	2
GREENOCK, .	17·2	5·2	20	4	6	0	0	0	1	0
PERTH, . . .	16·9	3·4	10	2	1	0	0	0	1	0

* One Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 15, 1899.

TOWNS.	The Deaths Registered in the Week include									
	Annual Rate of Mortality per 1000 living.	Deaths of		Deaths from						
		From All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.
In Eight Towns,	16·7	2·3	510	114	121	0	8	3	8	8
GLASGOW, .	17·1	2·1	242	51	43	0	8	1	1	2
EDINBURGH, .	17·2	2·4	99	16	27	0	0	1	1	5
DUNDEE, . .	16·3	3·4	52	15	14	0	0	0	0	2
ABERDEEN, .	12·4	1·8	34	10	8	0	0	0	0	1
LEITH, . . .	11·4	2·0	17	8	3	0	0	0	3	0
PAISLEY, . .	21·6	2·7	32	4	12	0	0	0	0	2
GREENOCK, .	18·8	3·4	22	7	8	0	0	0	0	4
PERTH, . . .	20·3	1·7	12	3	6	0	0	1	0	0

WEEKLY RETURN

or

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 29.

WEEK ENDING SATURDAY, JULY 21, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 21, 1900, was 19·0 per thousand of estimated population. This rate is 2·5 above that for the corresponding week of last year, and 1·8 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·5 per thousand; and the highest in Glasgow, viz., 22·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 0·9 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 79, being 8 above the number for the previous week.

The Mean Temperature was 62°·5, being 1°·6 above that for the week immediately preceding, and 1°·6 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 21, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending July 21, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1012	588	594	76·9	52·0	62·5	1·18
GLASGOW, . . .	12,681	743,969	58·668	9·76	501	317	372	75·2	53·3	63·3	1·59
EDINBURGH, . . .	8,804	302,262	34·332	12·76	144	98	93	73·5	53·2	62·3	1·21
DUNDEE, . . .	4,162	167,584	40·265	11·78	118	46	39	75·5	53·6	62·7	1·04
ABERDEEN, . . .	6,795	144,966	21·334	16·19	96	49	38	75·5	52·0	61·4	0·96
LEITH,	2,042	78,509	38·447	12·06	55	23	7	76·9	54·0	63·2	1·18
PAISLEY, . . .	3,538	78,258	22·119	15·90	43	24	25	72·9	53·3	62·8	1·28
GREENOCK, . . .	1,440	60,567	42·060	11·53	39	23	9	71·2	52·0	61·6	1·19
PERTH,	2,122	30,820	14·524	19·62	16	8	11	74·0	54·0	62·8	0·96
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	1023	505	635	73·8	50·0	60·9	0·55

Week ending Saturday, JULY 21, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 21, 1900.

TOWNS.	The Deaths Registered in the Week include																	
	Annual Rate of Mortality per 1000 living.	Deaths of			Deaths from													
		From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.						
In Eight Towns,	19.0	3.3	588	133	102	2	18	5	6	22	11	38	1	79	20	114	29	2
GLASGOW, .	22.2	4.6	317	77	49	2	10	2	3	16	10	23	1	55	9	55	12	2
EDINBURGH, .	16.9	2.9	98	20	15	0	6	2	3	1	1	4	0	9	6	31	8	0
DUNDEE, . .	14.3	1.6	46	10	9	0	1	0	0	0	0	4	0	6	0	5	0	0
ABERDEEN, .	17.6	2.2	49	14	12	0	1	0	0	2	0	0	3	0	4	1	6	1
LEITH, . . .	15.2	0.7	23	3	5	0	0	0	0	0	0	1	0	2	1	9	1	0
PAISLEY, . .	15.9	3.3	24	8	3	0	0	1	0	2	0	0	2	0	1	1	2	3
GREENOCK, .	19.7	0.9	23	0	6	0	0	0	0	1	0	0	0	2	2	5	4	0
PERTH, . . .	13.5	1.7	8	1	3	0	0	0	0	0	0	1	0	0	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 22, 1899.

TOWNS.	The Deaths Registered in the Week include																	
	Annual Rate of Mortality per 1000 living.	Deaths of			Deaths from													
		From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.						
In Eight Towns,	16.5	2.7	505	122	108	0	16	8	4	5	5	43	1	57	14	103	32	3
GLASGOW, .	18.5	3.7	261	64	50	0	15	6	1	3	1	26	1	31	5	48	22	3
EDINBURGH, .	15.7	1.9	90	24	16	0	0	0	2	0	3	6	0	15	4	21	5	0
DUNDEE, . .	14.4	1.9	46	12	13	0	0	0	0	1	0	5	0	4	1	8	1	0
ABERDEEN, .	13.5	1.8	37	11	14	0	0	1	1	1	0	3	0	2	1	11	0	0
LEITH, . . .	14.1	2.0	21	4	2	0	1	0	0	1	1	0	0	3	0	2	1	0
PAISLEY, . .	11.5	0.0	17	3	4	0	0	0	0	0	0	0	0	1	1	6	0	0
GREENOCK, .	21.3	2.6	25	4	6	0	0	0	0	0	0	3	0	1	2	4	3	0
PERTH, . . .	13.5	1.7	8	0	3	0	0	1	0	0	0	0	0	0	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 30.

WEEK ENDING SATURDAY, JULY 28, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 28, 1900, was 17·5 per thousand of estimated population. This rate is 0·4 above that for the corresponding week of last year, but 1·5 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·6 per thousand; and the highest in Paisley, viz., 19·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 65, being 14 below the number for the previous week.

The Mean Temperature was 61°·7, being 0°·8 below that for the week immediately preceding, but 1°·2 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 28, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre, 1900.	Proximity in Yards.	Registered during the Week ending July 28, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	996	541	394	77·2	45·0	61·7	0·76
GLASGOW, . . .	12,681	743,969	58·668	9·76	489	270	77	74·9	46·8	62·2	0·52
EDINBURGH, . . .	8,804	302,262	34·332	12·76	190	106	116	71·6	51·2	62·4	0·65
DUNDEE, . . .	4,162	167,584	40·265	11·78	69	42	113	77·2	48·5	61·8	0·65
ABERDEEN, . . .	6,795	144,966	21·334	16·19	93	50	48	68·0	52·4	59·5	1·51
LEITH,	2,042	78,509	38·447	12·06	35	16	20	72·9	52·8	63·5	0·58
PAISLEY,	3,538	78,258	22·119	15·90	41	29	8
GREENOCK, . . .	1,440	60,567	42·060	11·53	61	18	6	70·0	51·0	60·8	0·84
PERTH,	2,122	30,820	14·524	19·62	18	10	6	74·0	45·0	61·9	0·55
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	992	523	337	77·2	51·0	60·5	0·39

Week ending Saturday, JULY 28, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 28, 1900.

TOWNS.	The Deaths Registered in the Week include														Deaths in Public Institutions.																
	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.		Deaths of Infants under One Year of Age.		Deaths of Persons aged 60 Years & upwards.		Deaths from Small-pox.		Deaths from Measles.		Deaths from Scarlet Fever.		Deaths from Diphtheria.		Deaths from Hooping-cough.		Deaths from Fever.		Deaths from Diarrhoea.		Deaths from Croup and Laryngitis.		Deaths from Bronchitis, Pneumonia & Pleurisy.		Deaths from Violence.		Deaths in Public Institutions.		
	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.			
In Eight Towns,	17·5	2·8	541	124	113	2	24	9	1	9	6	36	2	65	22	126	57	19	3	3	3	3	3	3	3	3	3	3	3		
GLASGOW, .	18·9	4·1	270	67	39	2	18	5	0	8	3	23	1	34	12	57	19	3	3	3	3	3	3	3	3	3	3	3	3		
EDINBURGH, .	18·2	1·3	106	20	27	0	5	0	0	0	0	2	1	9	5	33	9	0	0	0	0	0	0	0	0	0	0	0	0	0	
DUNDEE, . .	13·0	1·2	42	7	7	0	0	0	0	2	2	0	4	3	11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ABERDEEN, .	17·9	3·2	50	11	19	0	0	1	0	1	1	6	0	8	0	13	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
LEITH, . . .	10·6	1·3	16	7	3	0	0	0	0	0	0	2	0	3	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PAISLEY, . .	19·3	2·7	29	6	10	0	1	3	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	
GREENOCK, .	15·5	0·9	18	4	1	0	0	0	1	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERTH, . . .	16·9	1·7	10	2	7	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 29, 1899.

TOWNS.	The Deaths Registered in the Week include														Deaths in Public Institutions.																
	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.		Deaths of Infants under One Year of Age.		Deaths of Persons aged 60 Years & upwards.		Deaths from Small-pox.		Deaths from Measles.		Deaths from Scarlet Fever.		Deaths from Diphtheria.		Deaths from Hooping-cough.		Deaths from Fever.		Deaths from Diarrhoea.		Deaths from Croup and Laryngitis.		Deaths from Bronchitis, Pneumonia & Pleurisy.		Deaths from Violence.		Deaths in Public Institutions.		
	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.			
In Eight Towns,	17·1	3·5	523	128	103	1	17	6	3	9	8	63	21	21	111	27	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
GLASGOW, .	19·8	5·1	279	82	40	*1	15	1	2	7	4	42	0	0	61	12	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
EDINBURGH, .	14·3	1·4	82	13	22	0	0	0	0	2	1	5	0	0	19	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
DUNDEE, . .	16·6	2·8	53	12	15	0	0	0	1	0	0	8	0	0	7	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ABERDEEN, .	13·5	1·1	37	7	8	0	0	0	0	0	0	3	0	0	11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
LEITH, . . .	11·4	2·0	17	4	4	0	1	0	0	1	0	1	0	0	1	1	0	1	0	1	0	1	0	1	0	1	0	0	0	0	
PAISLEY, . .	15·6	4·1	23	4	4	0	0	4	0	0	1	1	0	0	1	1	0	0	1	0	0	1	0	1	0	1	0	1	0	0	
GREENOCK, .	17·1	5·1	20	3	7	0	1	1	0	0	0	1	0	0	1	3	0	2	0	0	1	1	2	1	1	0	3	2	0	0	0
PERTH, . . .	20·3	0·0	12	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 31.

WEEK ENDING SATURDAY, AUGUST 4, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 4, 1900, was 17·2 per thousand of estimated population. This rate is 0·8 below that for the corresponding week of last year, and 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 13·3 per thousand; and the highest in Glasgow, viz., 19·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 71, being 6 above the number for the previous week.

The Mean Temperature was 58°·6, being 3°·1 below that for the week immediately preceding, and 4°·5 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 4, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Aug. 4, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	1011	533	260	71·2	45·0	58·6	0·67
GLASGOW, . . .	12,681	743,969	58·668	9·76	467	279	105	70·9	45·7	58·8	1·04
EDINBURGH, . . .	8,804	302,262	34·332	12·76	160	88	82	69·5	48·0	58·9	0·40
DUNDEE, . . .	4,162	167,584	40·265	11·78	104	43	13	70·0	46·5	58·7	1·01
ABERDEEN, . . .	6,795	144,966	21·334	16·19	107	46	21	69·2	47·6	58·3	0·19
LEITH, . . .	2,042	78,509	38·447	12·06	51	24	18	71·2	49·2	59·9	0·53
PAISLEY, . . .	3,538	78,258	22·119	15·90	48	29	15
GREENOCK, . . .	1,440	60,567	42·060	11·53	54	16	2	65·2	45·5	57·6	1·21
PERTH, . . .	2,122	30,820	14·524	19·62	20	8	4	69·0	45·0	57·9	0·31
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	932	550	305	83·2	46·0	63·1	0·00

EDINBURGH : Printed for Her Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by JOHN MENZIES & CO., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

N.—240—8/1900. 65.

[TURN OVER.]

Week ending Saturday, AUGUST 4, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, August 4, 1900.

TOWNS.	The Deaths Registered in the Week include												
	Deaths from All Causes.			Deaths from All Causes.			Deaths from						
	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	17·2	3·5	533	141	83	2	19	0	5	12	11	60	102
GLASGOW, .	19·5	4·8	279	87	35	2	14	0	1	9	6	37	57
EDINBURGH, .	15·1	2·2	88	14	22	0	4	0	1	1	4	3	25
DUNDEE, . .	13·3	1·6	43	11	5	0	0	0	0	0	5	0	0
ABERDEEN, .	16·5	1·4	46	10	10	0	0	0	1	0	0	3	5
LEITH, . . .	15·9	3·3	24	6	4	0	1	0	1	0	1	2	1
PAISLEY, . .	19·3	5·3	29	9	3	0	0	0	1	0	0	7	1
GREENOCK, .	13·7	3·4	16	2	2	0	0	0	0	2	0	0	2
PERTH, . . .	13·5	1·7	8	2	2	0	0	0	0	0	1	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, August 5, 1899.

TOWNS.	The Deaths Registered in the Week include												
	Deaths of			Deaths from									
	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	18·0	3·5	550	159	116	0	8	4	9	6	77	1	123
GLASGOW, .	20·5	4·3	289	88	53	0	8	3	1	4	6	38	61
EDINBURGH, .	18·6	2·1	107	24	24	0	0	0	0	1	0	11	32
DUNDEE, . .	15·3	4·4	49	13	13	0	0	0	1	2	0	11	4
ABERDEEN, .	13·1	2·6	36	11	10	0	0	0	1	0	0	6	0
LEITH, . . .	15·5	2·0	23	9	4	0	0	0	0	1	0	2	0
PAISLEY, . .	14·9	4·1	22	5	7	0	0	1	1	0	0	3	4
GREENOCK, .	12·8	4·3	15	6	3	0	0	0	0	0	5	0	0
PERTH, . . .	15·2	1·7	9	3	2	0	0	0	0	0	1	0	1

WEEKLY RETURN

OR

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 32.

WEEK ENDING SATURDAY, AUGUST 11, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 11, 1900, was 17·0 per thousand of estimated population. This rate is 0·9 below that for the corresponding week of last year, and 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 13·3 per thousand; and the highest in Greenock, viz., 24·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being the same as that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 49, being 22 below the number for the previous week.

The Mean Temperature was 54°·5, being 4°·1 below that for the week immediately preceding, and 4°·1 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 11, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Aug. 11, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	939	526	244	69·1	38·5	54·5	1·71
GLASGOW, . . .	12,681	743,969	58·668	9·76	474	254	102	66·8	43·9	55·4	2·14
EDINBURGH, . . .	8,804	302,262	34·332	12·76	155	99	56	66·5	43·0	54·4	2·33
DUNDEE, . . .	4,162	167,584	40·265	11·78	71	44	9	69·1	42·1	53·6	1·25
ABERDEEN, . . .	6,795	144,966	21·334	16·19	102	41	19	66·2	40·0	54·2	1·28
LEITH,	2,042	78,509	38·447	12·06	49	30	8	68·6	42·1	55·3	1·91
PAISLEY,	3,538	78,258	22·119	15·90	39	20	40
GREENOCK, . . .	1,440	60,567	42·060	11·53	36	28	6	65·0	48·0	55·2	2·26
PERTH,	2,122	30,820	14·524	19·62	13	10	4	69·0	38·5	53·1	0·79
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	934	545	231	81·5	38·0	58·6	0·18

Week ending Saturday, AUGUST 11, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, August 11, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include												
			Deaths from All Causes.		Deaths of		Deaths from		Deaths from		Deaths from		Deaths from		
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	17·0	3·5	526	146	106	1	11	3	0	27	5	60	3	20	115
GLASGOW,	17·8	5·1	254	83	35	1	8	2	0	19	4	39	0	9	59
EDINBURGH,	17·0	2·1	99	21	28	0	2	1	0	2	0	7	2	11	25
DUNDEE,	13·7	2·2	44	10	8	0	0	0	0	3	0	4	0	4	4
ABERDEEN,	14·7	0·7	41	8	14	0	1	0	0	1	0	0	0	6	1
LEITH,	19·9	1·3	30	8	8	0	0	0	0	0	0	2	0	2	1
PAISLEY,	13·3	2·0	20	4	4	0	0	0	0	0	1	2	0	0	1
GREENOCK,	24·0	6·9	28	9	4	0	0	0	0	2	0	6	1	0	4
PERTH,	16·9	0·0	10	3	5	0	0	0	0	0	0	0	0	1	3

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, August 12, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include												
			Deaths from All Causes.		Deaths of		Deaths from		Deaths from		Deaths from		Deaths from		
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	17·9	3·4	545	145	119	0	13	5	2	8	6	70	0	15	104
GLASGOW,	19·7	4·4	278	71	49	0	12	3	1	4	3	39	0	8	51
EDINBURGH,	18·1	3·1	104	23	32	0	1	2	1	2	3	9	0	1	27
DUNDEE,	17·2	2·8	55	15	8	0	0	0	0	1	0	8	0	1	6
ABERDEEN,	13·9	2·2	38	13	9	0	0	0	0	0	0	6	0	1	4
LEITH,	14·8	2·7	22	6	8	0	0	0	0	0	0	4	0	1	7
PAISLEY,	11·5	0·7	17	4	8	0	0	0	0	1	0	0	0	1	4
GREENOCK,	20·5	2·6	24	10	4	0	0	0	0	0	0	3	0	1	3
PERTH,	11·8	1·7	7	3	1	0	0	0	0	0	0	1	0	0	2

W E E K L Y R E T U R N

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 33.

WEEK ENDING SATURDAY, AUGUST 18, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 18, 1900, was 16·9 per thousand of estimated population. This rate is 2·4 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 13·7 per thousand; and the highest in Perth, viz., 21·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being the same as that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 59, being 10 above the number for the previous week.

The Mean Temperature was 61°·7, being 7°·2 above that for the week immediately preceding, and 1°·8 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 18, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Aug. 18, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	948	523	182	83·3	42·0	61·7	0·02
GLASGOW, . . .	12,681	743,969	58·668	9·76	460	273	78	83·3	50·0	63·1	0·00
EDINBURGH, . . .	8,804	302,262	34·332	12·76	168	83	36	76·3	53·0	62·5	0·03
DUNDEE, . . .	4,162	167,584	40·265	11·78	80	44	17	75·8	48·9	60·0	0·01
ABERDEEN, . . .	6,795	144,966	21·334	16·19	94	43	19	76·0	50·0	60·3	0·00
LEITH,	2,042	78,509	38·447	12·06	47	21	12	76·8	53·8	62·2	0·01
PAISLEY,	3,538	78,258	22·119	15·90	61	28	12	81·3	51·3	63·1	0·10
GREENOCK, . . .	1,440	60,567	42·060	11·53	28	18	7	76·8	52·2	61·3	0·00
PERTH,	2,122	30,820	14·524	19·62	10	13	1	78·0	42·0	61·3	0·00
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	950	588	249	80·5	40·0	59·9	0·16

Week ending Saturday, AUGUST 18, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, August 18, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include											
	From All Causes.		Deaths of		Deaths from									
	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	16·9	3·5	523	156	93	0	16	6	7	18	5	56	0	109
GLASGOW, .	19·1	4·7	273	80	41	0	13	4	1	13	5	31	0	60
EDINBURGH, .	14·3	2·1	83	27	11	0	2	0	3	1	0	6	0	39
DUNDEE, . .	13·7	2·2	44	18	8	0	0	0	0	0	0	7	0	5
ABERDEEN, .	15·4	3·6	43	10	12	0	0	1	2	2	0	5	0	2
LEITH, . . .	13·9	2·6	21	9	6	0	1	0	0	0	0	3	0	2
PAISLEY, . .	18·6	4·0	28	7	3	0	0	1	1	1	0	3	0	6
GREENOCK, .	15·5	1·7	18	3	8	0	0	0	0	1	0	1	1	3
PERTH, . . .	21·9	0·0	13	2	4	0	0	0	0	0	0	0	0	4

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, August 19, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include											
	From All Causes.		Deaths of		Deaths from									
	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	19·3	5·3	588	202	108	0	17	6	2	10	4	124	3	119
GLASGOW, .	21·3	6·5	300	107	41	0	16	4	1	6	1	64	2	62
EDINBURGH, .	17·6	3·8	101	33	23	0	0	0	0	2	2	18	0	17
DUNDEE, . .	16·3	3·1	52	20	8	0	0	0	0	0	0	10	1	5
ABERDEEN, .	13·5	1·5	37	10	13	0	0	1	0	0	0	3	0	10
LEITH, . . .	21·5	7·4	32	13	5	0	1	0	0	2	0	8	0	4
PAISLEY, . .	18·9	9·5	28	9	7	0	0	1	1	0	1	11	0	3
GREENOCK, .	19·6	6·8	23	8	3	0	0	0	0	0	0	8	0	2
PERTH, . . .	25·4	3·4	15	2	8	0	0	0	0	0	0	2	0	5

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 34.

WEEK ENDING SATURDAY, AUGUST 25, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 25, 1900, was 17·9 per thousand of estimated population. This rate is 4·7 below that for the corresponding week of last year, but 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 11·8 per thousand; and the highest in Greenock, viz., 24·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 81, being 22 above the number for the previous week.

The Mean Temperature was 55°·4, being 6°·3 below that for the week immediately preceding, and 9°·4 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 25, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Aug. 25, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	909	554	166	67·0	43·0	55·4	1·85
GLASGOW, . . .	12,681	743,969	58·668	9·76	451	251	77	66·8	52·0	58·1	0·00
EDINBURGH, . . .	8,804	302,262	34·332	12·76	140	97	35	63·9	46·3	54·2	2·86
DUNDEE, . . .	4,162	167,584	40·265	11·78	91	63	12	66·2	45·7	54·9	2·29
ABERDEEN, . . .	6,795	144,966	21·334	16·19	89	47	15	65·4	45·0	55·3	1·48
LEITH, . . .	2,042	78,509	38·447	12·06	54	25	3	63·9	47·8	55·1	2·12
PAISLEY, . . .	3,538	78,258	22·119	15·90	28	35	3	64·1	45·1	55·5	1·48
GREENOCK, . . .	1,440	60,567	42·060	11·53	38	29	15	67·0	49·5	55·6	1·67
PERTH, . . .	2,122	30,820	14·524	19·62	18	7	6	65·0	43·0	54·2	2·88
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	957	689	174	85·3	47·0	64·8	0·04

Week ending Saturday, AUGUST 25, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, August 25, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include												Deaths in Public Institutions.		Deaths from Uncertified Causes.		Deaths from Unspecified Causes.	
	Deaths from All Causes.		Deaths of Infants under One Year of Age.		Deaths of Persons aged 60 Years & upwards.		Deaths from Small-pox.		Deaths from Scarlet Fever.		Deaths from Measles.		Deaths from Diphtheria.		Deaths from Hooping-cough.		Deaths from Fever.		Deaths in Public Institutions.	
	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.
In Eight Towns,	17·9	3·3	554	147	103	0	9	5	6	23	8	52	1	45	14	27	140	17	2	
GLASGOW, .	17·5	3·2	251	60	39	0	4	3	3	15	4	17	1	4	8	65	10	2		
EDINBURGH, .	16·7	1·7	97	24	19	0	4	1	0	0	1	4	0	5	7	35	5	0		
DUNDEE, . .	19·5	2·2	63	19	10	0	0	0	0	3	0	4	0	7	2	12	0	0		
ABERDEEN, .	16·9	2·2	47	12	18	0	0	0	0	0	0	6	0	10	0	11	0	0		
LEITH, . . .	16·6	4·6	25	9	5	0	1	0	0	1	0	5	0	2	1	3	0	0		
PAISLEY, . .	23·3	6·6	35	8	6	0	0	1	1	0	1	7	0	7	0	6	1	0		
GREENOCK, .	24·9	12·0	29	14	4	0	0	0	2	4	1	7	0	5	2	5	1	0		
PERTH, . . .	11·8	5·1	7	1	2	0	0	0	0	0	1	2	0	0	0	3	0	0		

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, August 26, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include												Deaths in Public Institutions.		Deaths from Uncertified Causes.		Deaths from Unspecified Causes.	
	Deaths from All Causes.		Deaths of Infants under One Year of Age.		Deaths of Persons aged 60 Years & upwards.		Deaths from Small-pox.		Deaths from Scarlet Fever.		Deaths from Measles.		Deaths from Diphtheria.		Deaths from Hooping-cough.		Deaths from Fever.		Deaths in Public Institutions.	
	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.
In Eight Towns,	22·6	6·4	689	245	147	0	13	8	5	7	13	150	2	59	21	21	146	27	2	
GLASGOW, .	25·2	8·1	356	138	64	0	12	5	3	4	8	82	1	32	11	11	72	19	2	
EDINBURGH, .	19·0	2·8	109	25	34	0	0	1	0	1	2	12	0	9	3	3	43	5	0	
DUNDEE, . .	19·7	5·6	63	22	15	0	1	0	0	1	0	16	0	7	2	2	9	1	0	
ABERDEEN, .	17·5	2·9	48	16	11	0	0	0	1	0	1	6	0	5	0	0	6	0	0	
LEITH, . . .	21·5	8·7	32	17	4	0	0	0	0	1	0	12	0	0	3	3	4	0	0	
PAISLEY, . .	31·1	11·5	46	16	8	0	0	0	0	0	2	15	0	5	1	1	8	2	0	
GREENOCK, .	17·1	6·8	20	7	6	0	0	1	0	0	0	7	1	0	1	1	2	0	0	
PERTH, . . .	25·4	3·4	15	4	5	0	0	1	1	0	0	0	0	1	0	0	2	0	0	

WEEKLY RETURN

or

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 35.

WEEK ENDING SATURDAY, SEPTEMBER 1, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 1, 1900, was 17·6 per thousand of estimated population. This rate is 6·5 below that for the corresponding week of last year, and 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·2 per thousand; and the highest in Aberdeen, viz., 24·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 54, being 27 below the number for the previous week.

The Mean Temperature was 55°·6, being 0°·2 above that for the week immediately preceding, but 3°·4 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 1, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Sept. 1, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	936	543	226	72·0	41·0	55·6	0·37
GLASGOW, . . .	12,681	743,969	58·668	9·76	468	250	130	72·0	50·1	59·2	0·30
EDINBURGH, . . .	8,804	302,262	34·332	12·76	145	93	38	68·6	44·8	55·1	0·28
DUNDEE, . . .	4,162	167,584	40·265	11·78	91	44	13	68·2	42·1	54·5	0·22
ABERDEEN, . . .	6,795	144,966	21·334	16·19	92	68	20	68·6	44·2	54·5	0·26
LEITH,	2,042	78,509	38·447	12·06	49	20	5	67·8	46·1	56·1	0·20
PAISLEY,	3,538	78,258	22·119	15·90	42	34	2	70·1	47·1	56·0	0·44
GREENOCK,	1,440	60,567	42·060	11·53	34	23	12	67·7	47·7	55·3	0·91
PERTH,	2,122	30,820	14·524	19·62	15	11	6	67·0	41·0	54·0	0·32
Corresponding Week of 1899. — Eight Towns.	41,214	1,587,414	38·516	12·04	995	736	237	71·7	41·0	59·0	0·80

Week ending Saturday, SEPTEMBER 1, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, September 1, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include												
			Deaths from All Causes.		Deaths of		Deaths from								
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	17·6	3·3	543	132	133	0	9	5	25	5	54	4	54	18	126
GLASGOW, .	17·5	3·8	250	62	52	0	3	3	16	3	27	3	34	11	60
EDINBURGH, .	16·0	2·2	93	16	24	0	5	2	0	1	4	0	5	2	30
DUNDEE, .	13·7	2·2	44	15	12	0	0	0	0	1	0	6	0	3	0
ABERDEEN, .	24·4	2·5	68	16	23	0	1	0	0	1	0	5	0	6	4
LEITH, . . .	13·2	2·0	20	3	5	0	0	0	0	1	0	2	0	2	0
PAISLEY, . .	22·6	4·7	34	9	6	0	0	0	0	2	1	4	1	1	6
GREENOCK, .	19·7	8·6	23	8	8	0	0	0	1	3	0	6	0	1	0
PERTH, . . .	18·5	0·0	11	3	3	0	0	0	0	0	0	0	2	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, September 2, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include												
			Deaths from All Causes.		Deaths of		Deaths from								
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	24·1	7·1	736	282	115	0	7	5	13	9	181	1	82	27	124
GLASGOW, .	26·4	8·7	372	138	43	0	5	5	1	8	6	98	0	12	62
EDINBURGH, .	23·0	6·3	132	46	28	0	1	0	1	4	1	29	0	3	26
DUNDEE, .	23·2	5·6	74	33	14	0	0	0	0	0	0	18	0	5	14
ABERDEEN, .	16·4	1·1	45	15	10	0	0	0	0	0	3	1	5	5	10
LEITH, . . .	25·5	7·4	38	19	6	0	1	0	0	0	10	0	4	1	3
PAISLEY, . .	25·7	6·8	38	17	9	0	0	0	0	1	8	0	2	1	4
GREENOCK, .	20·5	10·2	24	11	1	0	0	0	0	1	11	0	1	0	2
PERTH, . . .	22·0	6·8	13	3	4	0	0	0	0	0	4	0	1	0	3

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 36.

WEEK ENDING SATURDAY, SEPTEMBER 8, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 8, 1900, was 17·5 per thousand of estimated population. This rate is 5·1 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·6 per thousand; and the highest in Greenock, viz., 23·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 77, being 23 above the number for the previous week.

The Mean Temperature was 54°·8, being 0°·8 below that for the week immediately preceding, and 3°·1 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 8, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Sept. 8, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	909	540	315	68·9	32·0	54·8	0·54
GLASGOW, . . .	12,681	743,969	58·668	9·76	455	256	159	66·2	35·0	55·9	0·64
EDINBURGH, . . .	8,804	302,262	34·332	12·76	137	88	64	67·7	38·0	54·1	0·49
DUNDEE, . . .	4,162	167,584	40·265	11·78	74	51	25	65·7	34·6	54·5	0·44
ABERDEEN, . . .	6,795	144,966	21·334	16·19	84	61	23	67·0	36·0	54·2	0·36
LEITH,	2,042	78,509	38·447	12·06	51	23	11	68·9	40·1	55·8	0·43
PAISLEY,	3,538	78,258	22·119	15·90	47	22	15	65·2	36·8	55·6	1·06
GREENOCK, . . .	1,440	60,567	42·060	11·53	40	27	12
PERTH,	2,122	30,820	14·524	19·62	21	12	6	65·0	32·0	53·4	0·35
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	945	689	244	71·9	40·0	57·9	0·14

Week ending Saturday, SEPTEMBER 8, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 8, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																		
			Deaths from All Causes.			Deaths of			Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	Deaths from Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	17·5	2·7	540	135	104	0	7	4	5	21	*4	42	2	77	33	115	25	8			
GLASGOW,	17·9	2·7	256	64	36	0	3	3	2	11	*2	17	1	43	17	45	13	7			
EDINBURGH,	15·1	2·4	88	20	24	0	2	1	1	1	0	9	0	12	3	31	5	0			
DUNDEE,	15·8	2·8	51	15	12	0	1	0	1	1	0	6	1	7	4	6	1	0			
ABERDEEN,	21·9	3·6	61	22	14	0	1	0	0	3	0	6	0	11	3	16	1	0			
LEITH,	15·2	1·3	23	5	5	0	0	0	0	0	0	2	0	2	1	5	0	0			
PAISLEY,	14·6	2·7	22	2	4	0	0	0	0	0	2	2	0	0	1	6	2	0			
GREENOCK,	23·2	5·2	27	4	6	0	0	0	1	5	0	0	0	2	3	5	1	1			
PERTH,	20·2	0·0	12	3	3	0	0	0	0	0	0	0	0	0	1	1	2	0			

* One Bubonic Plague.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 9, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of			Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes	Infants under One year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.6	7.4	689	261	122	0	3	7	3	9	10	193	0	54	20	108	27	3
GLASGOW,	23.3	7.5	329	119	53	0	3	5	0	6	6	86	0	28	10	55	7	1
EDINBURGH,	21.2	6.6	122	49	20	0	0	1	1	0	1	35	0	6	3	20	10	0
DUNDEE,	22.2	9.1	71	26	17	0	0	0	1	1	1	26	0	7	1	11	1	1
ABERDEEN,	19.3	2.6	53	14	15	0	0	0	0	1	0	6	0	7	2	8	0	0
LEITH,	23.5	11.4	35	21	7	0	0	0	0	1	0	16	0	1	3	3	3	0
PAISLEY,	23.0	10.1	34	15	4	0	0	1	0	0	2	12	0	3	0	5	2	0
GREENOCK,	31.6	9.4	37	13	5	0	0	0	1	0	0	10	0	2	1	5	3	1
PERTH,	13.5	3.4	8	4	1	0	0	0	0	0	0	2	0	0	0	1	1	0

WEEKLY RETURN

OR

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 37.

WEEK ENDING SATURDAY, SEPTEMBER 15, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 15, 1900, was 18·9 per thousand of estimated population. This rate is 1·3 below that for the corresponding week of last year, but 1·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·2 per thousand; and the highest in Perth, viz., 32·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·5 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 68, being 9 below the number for the previous week.

The Mean Temperature was 57°0, being 2°2 above that for the week immediately preceding, and 1°8 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 15, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Sept. 15, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	943	584	245	77·5	38·0	57·0	0·13
GLASGOW, . . .	12,681	743,969	58·668	9·76	459	274	124	77·5	39·0	57·5	0·06
EDINBURGH, . . .	8,804	302,262	34·332	12·76	162	110	50	70·2	43·8	57·7	0·08
DUNDEE, . . .	4,162	167,584	40·265	11·78	79	51	18	73·2	41·7	57·1	0·21
ABERDEEN, . . .	6,795	144,966	21·334	16·19	102	54	21	70·0	40·0	55·7	0·17
LEITH,	2,042	78,509	38·447	12·06	52	23	12	69·8	44·7	58·2	0·08
PAISLEY, . . .	3,538	78,258	22·119	15·90	31	27	6	74·8	44·0	58·6	0·09
GREENOCK, . . .	1,440	60,567	42·060	11·53	41	26	10	69·0	45·5	56·0	0·15
PERTH,	2,122	30,820	14·524	19·62	17	19	4	72·0	38·0	55·3	0·18
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	933	616	229	71·8	35·0	55·2	0·81

Week ending Saturday, SEPTEMBER 15, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 15, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																													
			Deaths from All Causes.			Deaths of Infants under One Year of Age.			Deaths from Persons aged 60 Years & upwards.			Deaths from Small-pox.		Deaths from Measles.		Deaths from Scarlet Fever.		Deaths from Diphtheria.		Deaths from Hooping-cough.		Deaths from Fever.		Deaths from Diarrhoea.		Deaths from Group and Laryngitis.		Deaths from Bronchitis, Pneumonia & Pleurisy.		Deaths from Violence.		Deaths in Public Institutions.
	From All Causes.		From Seven Zymotic Diseases.		Deaths from All Causes.		Infants under One Year of Age.		Persons aged 60 Years & upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Hooping-cough.		Fever.		Diarrhoea.		Group and Laryngitis.		Bronchitis, Pneumonia & Pleurisy.		Violence.			
In Eight Towns,	18·9	3·2	584	146	115	1	2	7	6	21	7	54	2	68	24	126	126	29	2													
GLASGOW,	19·2	3·1	274	63	53	1	0	6	0	16	*1	21	1	39	12	61	9	1														
EDINBURGH,	18·9	2·8	110	27	31	0	1	0	2	1	1	11	0	10	1	29	13	0														
DUNDEE,	15·8	2·8	51	14	9	0	1	0	1	0	0	7	1	3	3	6	1	1														
ABERDEEN,	19·4	2·9	54	20	7	0	0	0	2	1	1	4	0	8	3	10	3	0														
LEITH,	15·2	3·3	23	8	3	0	0	0	0	0	0	5	0	3	1	6	0	0														
PAISLEY,	17·9	4·0	27	4	5	0	0	1	0	1	2	2	0	2	1	4	1	0														
GREENOCK,	22·3	6·9	26	9	3	0	0	0	0	2	2	4	0	2	2	5	2	0														
PERTH,	32·0	1·7	19	1	4	0	0	0	1	0	0	0	0	1	1	5	0	0														

* Bubonic Plague.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 16, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																													
			Deaths of Infants under One Year of Age.			Deaths of Persons aged 60 Years & upwards.			Deaths from Small-pox.			Deaths from Measles.			Deaths from Scarlet Fever.		Deaths from Diphtheria.		Deaths from Hooping-cough.		Deaths from Fever.		Deaths from Diarrhoea.		Deaths from Group and Laryngitis.		Deaths from Bronchitis, Pneumonia & Pleurisy.		Deaths from Violence.		Deaths in Public Institutions.	
	From All Causes.		From Seven Zymotic Diseases.		Deaths from All Causes.		Infants under One Year of Age.		Persons aged 60 Years & upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Hooping-cough.		Fever.		Diarrhoea.		Group and Laryngitis.		Bronchitis, Pneumonia & Pleurisy.		Violence.		Deaths in Public Institutions.	
In Eight Towns,	20·2	5·7	616	206	114	1	5	3	7	8	15	136	2	66	29	132	30	3														
GLASGOW,	22·5	6·4	317	92	60	*1	4	1	2	4	9	69	1	33	14	72	12	2														
EDINBURGH,	20·7	5·0	119	47	21	0	1	1	1	0	2	24	0	14	5	24	10	0														
DUNDEE,	16·9	6·6	54	20	8	0	0	0	1	1	2	17	0	4	1	12	3	1														
ABERDEEN,	11·7	1·8	32	12	6	0	0	0	0	1	0	4	1	5	2	5	1	0														
LEITH,	22·8	8·1	34	15	5	0	0	0	0	1	2	0	9	0	4	2	6	1	0													
PAISLEY,	18·9	4·7	28	9	6	0	0	0	0	2	0	0	0	3	0	6	0	0														
GREENOCK,	20·5	6·0	24	8	5	0	0	1	0	0	0	6	0	0	3	4	2	3	0													
PERTH,	13·5	6·8	8	3	3	0	0	0	0	0	0	4	0	0	2	3	0	2														

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 38.

WEEK ENDING SATURDAY, SEPTEMBER 22, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 22, 1900, was 18·9 per thousand of estimated population. This rate is 0·1 below that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 16·6 per thousand; and the highest in Greenock, viz., 22·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·6 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 95, being 27 above the number for the previous week.

The Mean Temperature was 54°·7, being 2°·3 below that for the week immediately preceding, but 3°·6 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 22, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Sept. 22, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	981	584	239	71·0	36·0	54·7	0·14
GLASGOW, . . .	12,681	743,969	58·668	9·76	469	276	124	71·0	42·9	55·6	0·12
EDINBURGH, . . .	8,804	302,262	34·332	12·76	152	105	47	70·6	44·9	55·9	0·05
DUNDEE, . . .	4,162	167,584	40·265	11·78	88	60	14	65·1	41·1	53·9	0·04
ABERDEEN, . . .	6,795	144,966	21·334	16·19	108	56	24	65·2	38·2	52·4	0·05
LEITH, . . .	2,042	78,509	38·447	12·06	49	25	16	66·8	45·6	56·1	0·05
PAISLEY, . . .	3,538	78,258	22·119	15·90	49	26	5	69·5	43·2	55·5	0·21
GREENOCK, . . .	1,440	60,567	42·060	11·53	52	26	6	67·0	46·0	56·1	0·52
PERTH, . . .	2,122	30,820	14·524	19·62	14	10	3	66·0	36·0	52·4	0·08
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	976	581	230	64·7	36·0	51·1	0·70

Week ending Saturday, SEPTEMBER 22, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 22, 1900.

TOWNS.	The Deaths Registered in the Week include										
	Annual Rate of Mortality per 1000 living.			Deaths from All Causes.			Deaths from				
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.
In Eight Towns,	18·9	3·6	584	148	107	3	5	4	11	20	*7
GLASGOW,	19·3	3·7	276	83	40	3	2	3	0	16	*3
EDINBURGH,	18·1	3·1	105	16	26	0	2	0	3	1	1
DUNDEE,	18·6	3·1	60	14	14	0	0	0	2	1	0
ABERDEEN,	20·1	3·9	56	16	13	0	0	0	1	1	0
LEITH,	16·6	3·3	25	8	3	0	1	0	0	0	0
PAISLEY,	17·3	6·0	26	6	4	0	0	1	3	0	3
GREENOCK,	22·3	5·2	26	5	5	0	0	0	2	1	0
PERTH,	16·9	0·0	10	0	2	0	0	0	0	0	0

* One Plague.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 23, 1899.

TOWNS.	The Deaths Registered in the Week include										
	Annual Rate of Mortality per 1000 living.			Deaths of			Deaths from				
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.
In Eight Towns,	19·0	4·8	581	160	114	0	6	8	5	3	11
GLASGOW,	19·2	4·6	271	70	45	0	3	6	1	0	5
EDINBURGH,	21·7	4·3	125	36	29	0	2	0	1	1	2
DUNDEE,	20·0	6·3	64	21	9	0	0	1	2	0	1
ABERDEEN,	16·8	2·6	46	11	11	0	0	0	1	1	0
LEITH,	10·8	4·7	16	7	5	0	0	0	0	0	0
PAISLEY,	14·2	5·4	21	5	5	0	0	0	0	1	3
GREENOCK,	21·3	8·5	25	7	5	0	1	0	0	0	0
PERTH,	22·0	8·5	13	3	5	0	0	1	0	0	0

W E E K L Y R E T U R N

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 39.

WEEK ENDING SATURDAY, SEPTEMBER 29, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 29, 1900, was 18·9 per thousand of estimated population. This rate is 0·5 above that for the corresponding week of last year, and the same as that for the two previous weeks of the present year.

The lowest mortality was recorded in Dundee, viz., 17·1 per thousand; and the highest in Aberdeen, viz., 21·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·7 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 98, being 3 above the number for the previous week.

The Mean Temperature was 51°·7, being 3°·0 below that for the week immediately preceding, but 4°·4 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 29, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Sept. 29, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	12·03	875	584	277	65·9	33·0	51·7	1·83
GLASGOW, . . .	12,681	743,969	58·668	9·76	421	268	144	64·5	41·2	53·5	2·06
EDINBURGH, . . .	8,804	302,262	34·332	12·76	140	115	50	63·5	42·3	52·8	1·15
DUNDEE, . . .	4,162	167,584	40·265	11·78	86	55	16	61·8	36·9	50·7	1·60
ABERDEEN, . . .	6,795	144,966	21·334	16·19	74	60	35	62·0	33·0	49·0	1·12
LEITH,	2,042	78,509	38·447	12·06	51	26	4	65·9	42·9	53·8	1·05
PAISLEY,	3,538	78,258	22·119	15·90	45	26	13	63·0	41·4	53·0	2·26
GREENOCK, . . .	1,440	60,567	42·060	11·53	43	22	7	63·0	42·0	52·1	4·00
PERTH,	2,122	30,820	14·524	19·62	15	12	8	63·0	35·0	49·1	1·39
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	873	562	240	61·0	29·0	47·3	2·02

Week ending Saturday, SEPTEMBER 29, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 29, 1900.

TOWNS.	The Deaths Registered in the Week include															
	Annual Rate of Mortality per 1000 living.			Deaths from All Causes.			Deaths from									
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	18·9	2·9	584	161	104	0	5	6	7	*12	49	2	98	22	125	31 4
GLASGOW,	18·7	3·2	268	77	34	0	3	6	4	5	*7	21	1	47	15	52 15 4
EDINBURGH,	19·8	2·9	115	29	30	0	1	0	1	0	1	14	0	15	4	33 10 0
DUNDEE,	17·1	1·9	55	14	15	0	0	0	0	3	0	3	0	11	2	13 1 0
ABERDEEN,	21·5	1·8	60	16	13	0	0	0	0	1	0	4	1	13	0	15 4 0
LEITH,	17·2	4·0	26	7	2	0	0	0	1	0	1	4	0	5	0	4 1 0
PAISLEY,	17·3	3·3	26	10	5	0	1	0	0	0	2	2	0	4	0	3 0 0
GREENOCK,	18·9	3·4	22	3	1	0	0	0	1	2	1	0	0	1	1	3 0 0
PERTH,	20·2	3·4	12	5	4	0	0	0	0	1	0	1	0	2	0	2 0 0

* Three Plague.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 30, 1899.

TOWNS.	The Deaths Registered in the Week include															
	Annual Rate of Mortality per 1000 living.			Deaths of			Deaths from									
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	18·4	3·7	562	163	120	0	4	5	8	5	9	81	1	36	18	109 33 3
GLASGOW,	18·5	4·0	261	71	56	0	2	4	1	3	6	40	1	51	14	1 1 0
EDINBURGH,	17·9	3·1	103	35	22	0	0	0	3	0	0	15	0	12	0	27 12 0
DUNDEE,	19·4	5·3	62	20	9	0	0	1	1	2	2	11	0	7	1	9 1 0
ABERDEEN,	19·0	1·8	52	19	14	0	0	0	0	0	0	5	0	5	4	11 0 0
LEITH,	14·1	0·7	21	4	7	0	0	0	0	0	0	1	0	2	0	2 0 0
PAISLEY,	15·6	4·7	23	8	2	0	0	0	1	0	1	5	0	0	0	3 4 2
GREENOCK,	24·8	6·8	29	5	8	0	2	0	0	2	0	0	4	0	1	3 2 0
PERTH,	18·6	0·0	11	1	2	0	0	0	0	0	0	0	0	3	0	3 0 0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 40. WEEK ENDING SATURDAY, OCTOBER 6, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 6, 1900, was 19·3 per thousand of estimated population. This rate is 1·8 above that for the corresponding week of last year, and 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·5 per thousand; and the highest in Greenock, viz., 23·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 94, being 4 below the number for the previous week.

The Mean Temperature was 47°·9, being 3°·8 below that for the week immediately preceding, but the same as that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 6, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Oct. 6, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	968	595	244	59·0	28·0	47·9	1·63
GLASGOW, . . .	12,681	743,969	58·668	9·62	450	285	127	58·3	33·5	48·6	1·54
EDINBURGH, . . .	8,804	302,262	34·332	12·76	159	103	44	57·2	35·3	49·1	1·02
DUNDEE, . . .	4,162	167,584	40·265	11·78	94	66	24	57·3	36·2	47·0	1·56
ABERDEEN, . . .	6,795	144,966	21·334	16·19	94	59	21	56·2	34·4	47·0	1·47
LEITH,	2,042	78,509	38·447	12·06	52	24	5	58·6	36·3	49·7	0·97
PAISLEY, . . .	3,538	78,258	22·119	15·90	54	23	6	59·0	34·0	48·1	1·97
GREENOCK, . . .	1,440	60,567	42·060	11·53	48	27	10	57·5	35·0	48·5	2·89
PERTH,	2,122	30,820	14·524	19·62	17	8	7	57·0	28·0	45·2	1·63
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	992	534	297	62·0	31·9	47·9	0·68

Week ending Saturday, OCTOBER 6, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 6, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
			Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	19·3	3·5	595	164	106	1	10	7	5	18	13	53	4	94	18	137	
GLASGOW,	19·9	4·1	285	89	39	1	6	5	2	7	*11	26	0	47	10	66	
EDINBURGH,	17·7	2·4	103	20	30	0	3	0	3	2	0	6	4	15	1	11	
DUNDEE,	20·5	3·7	66	18	10	0	0	0	0	0	2	10	0	11	1	28	
ABERDEEN,	21·2	2·2	59	19	17	0	1	1	0	0	0	4	0	14	2	14	
LEITH,	15·9	0·7	24	3	4	0	0	0	0	0	0	1	0	2	1	8	
PAISLEY,	15·3	4·0	23	6	2	0	0	1	0	0	0	5	0	4	2	2	
GREENOCK,	23·2	8·6	27	8	2	0	0	0	0	9	0	1	0	1	0	2	
PERTH,	13·5	0·0	8	1	2	0	0	0	0	0	0	0	0	0	0	0	

* One Plague.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 7, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
			Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	17·5	3·2	534	131	134	0	11	8	6	5	13	54	2	59	20	123	
GLASGOW,	17·6	4·0	248	68	48	0	9	5	4	2	10	27	2	29	8	61	
EDINBURGH,	18·6	1·7	107	19	33	0	0	2	0	0	0	8	0	9	6	31	
DUNDEE,	18·8	3·8	60	11	25	0	0	0	0	1	0	11	0	9	1	10	
ABERDEEN,	18·6	1·8	51	17	12	0	0	0	2	1	1	1	0	7	2	9	
LEITH,	14·1	2·7	21	6	6	0	2	0	0	0	0	2	0	2	2	3	
PAISLEY,	12·8	2·7	19	4	6	0	0	0	0	1	1	2	0	3	0	2	
GREENOCK,	17·1	3·4	20	6	1	0	0	1	0	0	0	3	0	0	1	1	
PERTH,	13·5	1·7	8	0	3	0	0	0	0	0	1	0	0	0	0	6	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 41.

WEEK ENDING SATURDAY, OCTOBER 13, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 13, 1900, was 18·0 per thousand of estimated population. This rate is 0·1 below that for the corresponding week of last year, and 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 14·5 per thousand; and the highest in Dundee, viz., 21·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 1·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 104, being 10 above the number for the previous week.

The Mean Temperature was 49°·5, being 1°·6 above that for the week immediately preceding, and 0·2 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 13, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Oct. 13, 1900.				Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean		
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	959	556	238	64·7	36·0	49·5	•	1·46
GLASGOW, . . .	12,681	743,969	58·668	9·62	477	272	99	62·9	37·7	50·4	•	1·48
EDINBURGH, . . .	8,804	302,262	34·332	12·76	171	84	38
DUNDEE, . . .	4,162	167,584	40·265	11·78	80	68	57	57·8	37·2	48·4	•	0·92
ABERDEEN, . . .	6,795	144,966	21·334	16·19	91	55	16	58·8	36·0	48·5	•	0·17
LEITH,	2,042	78,509	38·447	12·06	46	22	10	64·7	38·7	50·5	•	1·57
PAISLEY, . . .	3,538	78,258	22·119	15·90	44	26	6	61·2	37·8	50·1	•	1·81
GREENOCK, . . .	1,440	60,567	42·060	11·53	38	20	7	61·2	40·2	49·7	•	2·92
PERTH,	2,122	30,820	14·524	19·62	12	9	5	60·0	37·0	48·6	•	1·34
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	932	553	255	64·0	29·6	49·3	•	0·41

Week ending Saturday, OCTOBER 13, 1900.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 13, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths from All Causes.		Deaths of			Deaths from										
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	18·0	2·4	556	151	119	2	4	7	7	13	5	36	0	104	31	107	22	6
GLASGOW, .	19·0	3·1	272	75	47	2	1	5	4	10	*5	17	0	56	11	53	16	6
EDINBURGH, .	14·5	1·0	84	18	18	0	1	1	1	0	2	0	11	7	4	25	3	0
DUNDEE, . .	21·1	2·8	68	26	16	0	0	0	2	0	0	7	0	7	10	10	1	0
ABERDEEN, .	19·7	1·1	55	18	18	0	1	0	0	0	0	2	0	14	1	6	1	0
LEITH, . . .	14·6	2·0	22	4	5	0	0	0	0	0	0	3	0	3	4	2	1	0
PAISLEY, . .	17·3	4·0	26	7	9	0	1	1	0	0	0	4	0	6	0	6	0	0
GREENOCK, .	17·2	2·6	20	3	4	0	0	0	0	2	0	1	0	5	1	3	0	0
PERTH, . . .	15·2	0·0	9	0	2	0	0	0	0	0	0	0	0	2	0	2	0	0

* One Plague.

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 14, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of All Causes.		Deaths of			Deaths from										
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	18·1	2·4	553	122	133	0	15	6	3	9	9	31	0	102	32	130	28	5
GLASGOW, .	19·3	2·8	273	58	63	0	14	1	2	2	5	15	0	53	18	67	13	3
EDINBURGH, .	16·0	1·4	92	24	20	0	0	3	0	3	0	2	0	14	3	26	9	0
DUNDEE, . .	16·9	1·9	54	13	13	0	0	0	0	1	1	4	0	11	2	4	2	1
ABERDEEN, .	17·5	2·9	48	11	15	0	0	0	0	2	0	6	0	9	2	13	2	1
LEITH, . . .	18·1	2·7	27	4	9	0	0	0	0	0	2	2	0	5	2	7	1	0
PAISLEY, . .	18·9	2·0	28	6	9	0	0	1	1	0	0	1	0	5	3	6	0	0
GREENOCK, .	17·9	2·6	21	6	2	0	1	0	0	0	1	1	0	3	1	4	0	0
PERTH, . . .	16·9	3·4	10	0	2	0	0	1	0	1	0	0	0	2	1	3	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 42.

WEEK ENDING SATURDAY, OCTOBER 20, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 20, 1900, was 17·5 per thousand of estimated population. This rate is 0·2 above that for the corresponding week of last year, but 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·9 per thousand; and the highest in Aberdeen, viz., 23·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 116, being 12 above the number for the previous week.

The Mean Temperature was 43°·9, being 5°·6 below that for the week immediately preceding, and 5·5 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 20, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons on an Acre. 1900.	Proximate in Yards.	Registered during the Week ending Oct. 20, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	991	542	168	59·0	24·0	43·9	0·87
GLASGOW, . . .	12,681	743,969	58·668	9·62	519	270	84	56·5	28·2	45·7	0·74
EDINBURGH, . . .	8,804	302,262	34·332	12·76	147	87	31	49·2	35·3	41·6	0·90
DUNDEE, . . .	4,162	167,584	40·265	11·78	90	59	10	52·0	28·0	43·4	0·64
ABERDEEN, . . .	6,795	144,966	21·334	16·19	94	64	20	50·5	33·0	44·1	1·15
LEITH,	2,042	78,509	38·447	12·06	37	18	5
PAISLEY,	3,538	78,258	22·119	15·90	44	21	8	59·0	28·5	45·6	0·99
GREENOCK, . . .	1,440	60,567	42·060	11·53	43	14	7	55·2	33·0	44·4	0·95
PERTH,	2,122	30,820	14·524	19·62	17	9	3	54·0	24·0	42·6	0·72
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	973	527	211	68·0	23·0	49·4	0·01

Week ending Saturday, OCTOBER 20, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 20, 1900.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 21, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of			Deaths from												
	From All Causes.	From Seven Dyspeptic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pleu- monia & Pneumy-	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	17·3	2·1	527	117	116	0	13	6	4	3	13	26	3	81	14	123	0	
GLASGOW, .	18·8	3·0	266	67	46	0	12	4	2	2	7	16	1	47	6	66	5	0
EDINBURGH, .	17·9	1·0	103	19	33	0	0	1	0	0	3	2	0	12	4	26	12	0
DUNDEE, . .	13·8	1·9	44	10	12	0	0	0	1	0	1	4	0	5	1	11	0	0
ABERDEEN, .	14·6	1·1	40	10	9	0	0	0	0	1	1	1	0	7	1	7	0	0
LEITH, . . .	16·8	1·3	25	4	2	0	0	0	0	0	0	2	1	4	1	5	0	0
PAISLEY, . .	14·9	2·0	22	4	5	0	0	1	0	0	1	1	0	3	0	3	1	0
GREENOCK, .	15·4	0·9	18	3	6	0	1	0	0	0	0	0	1	3	1	2	1	0
PERTH, . . .	15·2	1·7	9	0	3	0	0	0	1	0	0	0	0	0	0	3	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 43.

WEEK ENDING SATURDAY, OCTOBER 27, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 27, 1900, was 19·6 per thousand of estimated population. This rate is 1·7 above that for the corresponding week of last year, and 2·1 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·6 per thousand; and the highest in Dundee, viz., 23·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being the same as that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 139, being 23 above the number for the previous week.

The Mean Temperature was 45°·8, being 1°·9 above that for the week immediately preceding, but 1°·7 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 27, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Oct. 27, 1900.			Température.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	919	607	214	61·5	30·0	45·8	0·43
GLASGOW, . . .	12,681	743,969	58·668	9·62	458	296	118	59·7	33·5	46·8	0·47
EDINBURGH, . . .	8,804	302,262	34·332	12·76	145	95	39	53·2	33·3	43·7	0·55
DUNDEE, . . .	4,162	167,584	40·265	11·78	90	74	10	60·9	34·8	45·7	0·11
ABERDEEN, . . .	6,795	144,966	21·334	16·19	90	59	23	57·6	30·0	44·7	0·60
LEITH,	2,042	78,509	38·447	12·06	42	22	9	58·6	37·4	47·3	0·61
PAISLEY,	3,538	78,258	22·119	15·90	36	33	4	58·9	34·1	47·4	0·40
GREENOCK, . . .	1,440	60,567	42·060	11·53	39	18	8	56·5	34·5	46·3	0·67
PERTH,	2,122	30,820	14·524	19·62	19	10	3	61·5	33·0	44·5	0·06
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	970	546	191	59·4	30·9	47·5	0·55

Week ending Saturday, OCTOBER 27, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 27, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																						
			Deaths from All Causes.			Deaths of			Deaths from																
	From All Causes.		From Seven Zymotic Diseases.		Infants under One Year of Age.		Persons aged 60 Years & upwards.	Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Hooping-cough.		Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·6	2·2	607	164		115		2		4		8		6		18		4	25	0	139	18	116	25	1
GLASGOW,	20·7	2·7	296	93	41	2	1	6		1		12		3	14	0	73	8	64	16	0				
EDINBURGH,	16·3	1·2	95	10	31	0	2	1		2		0		1	1	0	15	3	25	4	0				
DUNDEE,	23·0	2·5	74	23	11	0	0	0		1		3		0	4	0	21	2	10	1	0				
ABERDEEN,	21·2	2·2	59	15	13	0	1	0		0		0		0	5	0	14	1	9	1	0				
LEITH,	14·6	0·0	22	8	3	0	0	0		0		0		0	0	0	5	2	3	1	1				
PAISLEY,	21·9	2·7	33	8	10	0	0	1		2		1		0	0	0	7	1	5	2	0				
GREENOCK,	15·5	2·6	18	4	4	0	0	0		0		2		0	1	0	1	1	0	0	0				
PERTH,	16·9	0·0	10	3	2	0	0	0		0		0		0	0	0	3	0	0	0	0				

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 28, 1899.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 44.

WEEK ENDING SATURDAY, NOVEMBER 3, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 3, 1900, was 19·6 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·3 per thousand; and the highest in Paisley, viz., 24·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 142, being 3 above the number for the previous week.

The Mean Temperature was 46°·3, being 0°·5 above that for the week immediately preceding, but 1°·9 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 3, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Nov. 3, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	857	607	256	63·0	28·0	46·3	0·94
GLASGOW, . . .	12,681	743,969	58·668	9·62	434	321	157	63·0	36·5	48·9	1·10
EDINBURGH, . . .	8,804	302,262	34·332	12·76	138	88	48	57·7	36·2	46·3	1·00
DUNDEE, . . .	4,162	167,584	40·265	11·78	84	68	9	56·2	31·6	44·8	0·99
ABERDEEN, . . .	6,795	144,966	21·334	16·19	82	47	11	54·0	29·4	44·8	0·62
LEITH, . . .	2,042	78,509	38·447	12·06	33	17	5	56·9	38·4	47·7	0·73
PAISLEY, . . .	3,538	78,258	22·119	15·90	40	37	12
GREENOCK, . . .	1,440	60,567	42·060	11·53	35	20	12	60·2	37·0	47·6	1·54
PERTH, . . .	2,122	30,820	14·524	19·62	11	9	2	56·0	28·0	44·2	0·58
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	950	573	317	61·0	32·0	48·2	2·02

Week ending Saturday, NOVEMBER 3, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 3, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include													
	Deaths from All Causes.		Deaths of			Deaths from										
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from
In Eight Towns,	19·6	2·5	607	163	117	0	8	8	18	12	24	6	142	18	119	34 1
GLASGOW, .	22·4	3·1	321	96	47	0	1	5	2	15	8	14	4	94	13	62 18 1
EDINBURGH, .	15·1	1·4	88	16	24	0	2	0	3	0	0	3	0	9	3	24 11 0
DUNDEE, .	21·1	1·9	68	17	17	0	0	0	1	0	1	4	0	15	0	9 0 0
ABERDEEN, .	16·9	3·6	47	13	8	0	5	1	0	1	1	2	1	6	0	8 1 0
LEITH, . . .	11·3	0·7	17	4	6	0	0	0	0	1	0	0	1	5	1	5 2 0
PAISLEY, .	24·6	2·7	37	7	9	0	0	2	1	0	0	1	0	4	1	6 2 0
GREENOCK, .	17·2	2·6	20	7	3	0	0	0	0	1	2	0	0	5	0	3 0 0
PERTH, . . .	15·2	0·0	9	3	3	0	0	0	0	0	0	0	0	4	0	2 0 0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 4, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include													
	Deaths from All Causes.		Deaths of			Deaths from										
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from
In Eight Towns,	18·8	3·0	573	127	118	1	26	11	9	7	13	26	3	114	22	128 33 4
GLASGOW, .	20·1	3·0	284	62	50	0	15	7	3	1	4	13	2	71	10	64 17 3
EDINBURGH, .	18·1	2·8	104	26	24	0	2	2	3	3	2	4	0	13	4	30 10 0
DUNDEE, .	19·4	3·4	62	16	12	0	4	0	2	1	1	3	0	11	1	8 1 1
ABERDEEN, .	16·8	3·3	46	10	12	0	0	1	0	2	3	3	0	5	3	9 2 0
LEITH, . . .	18·1	2·0	27	6	9	*1	1	0	0	0	0	1	0	3	1	6 1 0
PAISLEY, .	14·2	4·1	21	4	6	0	1	1	0	0	2	2	1	2	0	6 0 0
GREENOCK, .	16·2	3·4	19	2	1	0	3	0	0	0	1	0	0	6	2	4 1 0
PERTH, . . .	16·9	1·7	10	1	4	0	0	0	1	0	0	0	0	3	1	1 1 0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 45.

WEEK ENDING SATURDAY, NOVEMBER 10, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 10, 1900, was 19·2 per thousand of estimated population. This rate is 2·2 above that for the corresponding week of last year, but 0·4 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 14·0 per thousand; and the highest in Dundee, viz., 24·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 145, being 3 above the number for the previous week.

The Mean Temperature was 45°·7, being 0°·6 below that for the week immediately preceding, and 0°·4 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 10, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Nov. 10, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	825	594	242	55·8	35·0	45·7	2·11
GLASGOW, . . .	12,681	743,969	58·668	9·62	432	291	135	54·8	37·0	46·6	2·74
EDINBURGH, . . .	8,804	302,262	34·332	12·76	105	100	47
DUNDEE, . . .	4,162	167,584	40·265	11·78	68	78	12	52·6	35·9	45·1	1·04
ABERDEEN, . . .	6,795	144,966	21·334	16·19	79	39	10	52·0	35·0	45·2	0·93
LEITH, . . .	2,042	78,509	38·447	12·06	27	28	6	53·7	38·9	46·4	2·39
PAISLEY, . . .	3,538	78,258	22·119	15·90	54	25	17	54·0	37·2	46·2	2·62
GREENOCK, . . .	1,440	60,567	42·060	11·53	36	22	9	55·8	36·7	46·3	3·68
PERTH, . . .	2,122	30,820	14·524	19·62	24	11	6	53·0	35·0	44·2	1·36
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	877	520	228	60·4	32·0	46·1	1·51

Week ending Saturday, NOVEMBER 10, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 10, 1900.

TOWNS.	The Deaths Registered in the Week include																	
	Deaths of			Deaths from														
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·2	2·0	594	162	124	0	5	4	7	22	7	17	5	145	23	119	24	1
GLASGOW,	20·3	2·4	291	92	48	0	0	3	3	16	4	9	2	77	11	49	17	1
EDINBURGH,	17·2	1·4	100	16	25	0	3	0	2	1	1	1	1	21	5	40	4	0
DUNDEE,	24·2	3·4	78	25	19	0	0	0	0	4	1	6	1	27	2	12	0	0
ABERDEEN,	14·0	1·1	39	11	10	0	2	0	0	0	1	0	0	9	2	2	2	0
LEITH,	18·5	2·0	28	6	7	0	0	0	2	0	0	1	0	3	0	5	0	0
PAISLEY,	16·6	0·7	25	8	7	0	0	1	0	0	0	0	1	4	1	3	1	0
GREENOCK,	18·9	0·9	22	4	5	0	0	0	0	1	0	0	0	4	2	4	0	0
PERTH,	18·5	0·0	11	0	3	0	0	0	0	0	0	0	0	0	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 11, 1899.

TOWNS.	The Deaths Registered in the Week include																	
	Deaths of			Deaths from														
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·0	1·4	520	131	116	0	8	3	5	3	11	14	2	116	22	107	30	2
GLASGOW,	17·9	1·7	252	70	50	0	7	2	3	0	5	7	1	60	11	57	14	2
EDINBURGH,	17·2	1·0	99	25	24	0	0	1	1	0	2	2	0	25	3	23	11	0
DUNDEE,	15·0	1·6	48	9	13	0	0	0	0	1	2	2	1	4	2	6	1	0
ABERDEEN,	14·9	0·7	41	12	11	0	0	0	0	1	0	1	0	11	1	6	1	0
LEITH,	17·5	0·7	26	5	6	0	0	0	0	0	0	1	0	6	2	2	1	0
PAISLEY,	12·2	2·7	18	4	2	0	0	0	1	1	2	0	0	4	1	6	0	0
GREENOCK,	20·5	1·7	24	5	6	0	1	0	0	0	0	1	0	4	1	5	1	0
PERTH,	20·3	0·0	12	1	4	0	0	0	0	0	0	0	0	2	1	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 46.

WEEK ENDING SATURDAY, NOVEMBER 17, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 17, 1900, was 19·9 per thousand of estimated population. This rate is 0·9 above that for the corresponding week of last year, and 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 14·9 per thousand; and the highest in Glasgow, viz., 21·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 160, being 15 above the number for the previous week.

The Mean Temperature was 41°·3, being 4°·4 below that for the week immediately preceding, and 3°·0 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 17, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Nov. 17, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	872	614	186	53·0	26·5	41·3	1·27
GLASGOW, . . .	12,681	743,969	58·668	9·62	460	304	94	50·7	35·0	42·8	1·36
EDINBURGH, . . .	8,804	302,262	34·332	12·76	142	119	37	46·2	34·4	40·6	1·01
DUNDEE, . . .	4,162	167,584	40·265	11·78	68	48	7	47·8	30·8	39·7	1·08
ABERDEEN, . . .	6,795	144,966	21·334	16·19	90	56	19	49·0	26·5	40·7	1·23
LEITH, . . .	2,042	78,509	38·447	12·06	41	26	5	48·0	36·2	42·7	1·32
PAISLEY, . . .	3,538	78,258	22·119	15·90	34	28	10	53·0	35·0	43·0	1·19
GREENOCK, . . .	1,440	60,567	42·060	11·53	32	22	13	50·0	35·0	42·4	1·65
PERTH, . . .	2,122	30,820	14·524	19·62	5	11	1	48·0	28·0	38·4	1·31
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	884	580	209	59·8	27·0	44·3	0·53

Week ending Saturday, NOVEMBER 17, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 17, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.			The Deaths Registered in the Week include													
	Deaths from All Causes.			Deaths of				Deaths from									
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	19·9	2·4	614	134	123	2	13	4	11	22	7	16	3	160	21	135	
GLASGOW,	21·2	2·8	304	74	53	2	1	2	5	17	6	7	0	92	7	63	
EDINBURGH,	20·5	2·6	119	23	28	0	8	0	3	1	1	2	2	31	6	38	
DUNDEE,	14·9	1·9	48	7	13	0	0	0	0	2	0	4	0	11	5	11	
ABERDEEN,	20·1	2·5	56	16	8	0	4	0	0	0	0	3	0	7	2	8	
LEITH,	17·2	0·0	26	5	5	0	0	0	0	0	0	0	0	7	0	2	
PAISLEY,	18·6	2·0	28	4	7	0	0	2	1	0	0	0	0	5	1	6	
GREENOCK,	18·9	1·7	22	4	6	0	0	0	0	2	0	0	0	1	0	1	
PERTH,	18·5	3·4	11	1	3	0	0	0	2	0	0	0	0	2	0	6	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 18, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.			The Deaths Registered in the Week include													
	Deaths from All Causes.			Deaths of				Deaths from									
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	19·0	2·3	580	135	111	0	19	9	5	6	8	24	3	128	22	126	
GLASGOW,	19·8	2·8	279	67	49	0	12	7	5	3	6	7	1	52	10	67	
EDINBURGH,	18·4	1·0	106	24	22	0	1	0	0	0	1	4	0	24	4	30	
DUNDEE,	16·6	2·5	53	10	9	0	1	0	0	1	1	5	1	9	2	7	
ABERDEEN,	21·5	1·5	59	19	15	0	0	0	0	0	0	4	1	19	2	11	
LEITH,	16·8	2·0	25	5	4	0	0	1	0	0	0	2	0	8	1	5	
PAISLEY,	16·9	1·4	25	5	5	0	0	1	0	1	0	0	0	7	0	4	
GREENOCK,	21·3	6·0	25	4	5	0	5	0	0	0	0	2	0	7	2	1	
PERTH,	13·5	1·7	8	1	2	0	0	0	0	1	0	0	0	2	1	1	

W E E K L Y R E T U R N

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 47.

WEEK ENDING SATURDAY, NOVEMBER 24, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 24, 1900, was 20·3 per thousand of estimated population. This rate is 1·3 above that for the corresponding week of last year, and 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·9 per thousand; and the highest in Paisley, viz., 25·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 153, being 7 below the number for the previous week.

The Mean Temperature was 37°·6, being 3°·7 below that for the week immediately preceding, and 9°·9 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 24, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre, 1900.	Proximity in Yards.	Registered during the Week ending Nov. 24, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	877	628	193	48·0	22·0	37·6	0·68
GLASGOW, . . .	12,681	743,969	58·668	9·62	432	308	99	47·0	24·6	36·6	0·46
EDINBURGH, . . .	8,804	302,262	34·332	12·76	133	98	45	42·8	31·1	37·8	1·09
DUNDEE, . . .	4,162	167,584	40·265	11·78	91	59	4	46·2	26·4	37·8	0·47
ABERDEEN, . . .	6,795	144,966	21·334	16·19	96	64	19	48·0	30·0	40·0	1·48
LEITH,	2,042	78,509	38·447	12·06	36	18	13	43·7	31·1	39·2	0·70
PAISLEY,	3,538	78,258	22·119	15·90	38	38	8	47·2	26·0	37·5	0·40
GREENOCK, . . .	1,440	60,567	42·060	11·53	42	29	4	45·7	29·0	37·9	0·45
PERTH,	2,122	30,820	14·524	19·62	9	14	1	44·0	22·0	34·3	0·40
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	903	581	245	58·2	31·0	47·5	0·23

Week ending Saturday, NOVEMBER 24, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 24, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include													
			Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	20·3	2·2	628	163	126	1	8	5	4	25	6	20	3	153	34	133
GLASGOW,	21·5	2·5	308	89	50	1	1	5	2	17	3	7	2	86	14	55
EDINBURGH,	16·9	1·0	98	18	26	0	2	0	1	0	0	3	0	18	6	30
DUNDEE,	18·3	1·6	59	19	14	0	0	0	0	1	0	4	0	18	4	12
ABERDEEN,	23·0	4·3	64	18	17	0	5	0	1	1	2	3	1	7	3	13
LEITH,	11·9	0·0	18	5	4	0	0	0	0	0	0	0	0	3	2	5
PAISLEY,	25·2	2·0	38	6	7	0	0	0	0	1	1	1	0	10	1	7
GREENOCK,	24·9	5·2	29	6	2	0	0	0	0	5	0	1	0	8	3	7
PERTH,	23·6	1·7	14	2	6	0	0	0	0	0	0	1	0	3	1	4

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 25, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include													
			Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	
In Eight Towns,	19·0	3·2	581	155	126	0	43	8	13	14	5	15	2	126	20	118
GLASGOW,	20·5	2·8	290	80	62	0	12	6	6	4	3	8	2	75	11	71
EDINBURGH,	15·1	1·0	87	25	21	0	0	1	2	2	1	0	0	19	2	22
DUNDEE,	16·9	5·0	54	12	15	0	10	0	1	2	0	3	0	6	1	7
ABERDEEN,	13·1	2·6	36	13	9	0	1	0	1	3	0	2	0	8	1	1
LEITH,	18·1	0·7	27	9	5	0	0	0	0	0	0	1	0	6	0	3
PAISLEY,	21·6	3·4	32	4	7	0	2	1	0	0	1	1	0	5	2	5
GREENOCK,	37·6	16·2	44	9	5	0	17	0	2	0	0	0	0	7	2	6
PERTH,	18·6	8·5	11	3	2	0	1	0	1	3	0	0	0	0	1	3

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 48.

WEEK ENDING SATURDAY, DECEMBER 1, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 1, 1900, was 21·7 per thousand of estimated population. This rate is 1·2 above that for the corresponding week of last year, and 1·4 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 11·8 per thousand; and the highest in Greenock, viz., 26·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 157, being 4 above the number for the previous week.

The Mean Temperature was 42°·1, being 4°·5 above that for the week immediately preceding, but 6°·1 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 1, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Dec. 1, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	844	672	242	48·1	27·0	42·1	1·02
GLASGOW, . . .	12,681	743,969	58·668	9·62	377	302	121	48·0	33·2	43·1	0·76
EDINBURGH, . . .	8,804	302,262	34·332	12·76	129	120	53	46·0	34·2	41·7	0·51
DUNDEE, . . .	4,162	167,584	40·265	11·78	98	81	12	45·7	31·8	41·7	1·60
ABERDEEN, . . .	6,795	144,966	21·334	16·19	87	67	26	47·4	27·4	42·1	0·90
LEITH, . . .	2,042	78,509	38·447	12·06	54	26	9	46·7	34·9	42·9	0·72
PAISLEY, . . .	3,538	78,258	22·119	15·90	43	38	9	48·1	34·3	42·3	1·00
GREENOCK, . . .	1,440	60,567	42·060	11·53	43	31	5	47·0	34·7	42·2	1·27
PERTH, . . .	2,122	30,820	14·524	19·62	13	7	7	46·0	27·0	40·5	1·41
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	922	625	293	58·8	30·0	48·2	0·30

Week ending Saturday, DECEMBER 1, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 1, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
	Deaths from All Causes.		Deaths of				Deaths from										
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Diphtheria.	Scarlet Fever.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.		
In Eight Towns,	21·7	2·9	672	178	140	1	12	5	42	4	19	3	157	27	122	35	
GLASGOW,	21·1	3·4	302	79	59	1	1	4	2	33	2	6	1	79	14	52	18
EDINBURGH,	20·6	1·9	120	26	34	0	4	0	1	2	0	4	0	26	8	30	11
DUNDEE, . .	25·1	2·8	81	27	12	0	0	1	1	1	0	6	0	17	1	16	0
ABERDEEN, .	24·0	3·9	67	19	10	0	7	0	2	0	0	2	1	8	1	10	0
LEITH, . . .	17·2	0·0	26	9	11	0	0	0	0	0	0	0	0	7	2	3	2
PAISLEY, .	25·2	2·7	38	7	11	0	0	0	0	1	2	1	0	11	0	6	2
GREENOCK, .	26·6	4·3	31	8	3	0	0	0	0	5	0	0	1	8	1	1	0
PERTH, . .	11·8	0·0	7	3	0	0	0	0	0	0	0	0	0	1	0	4	2

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 2, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
			Deaths of			Deaths from												
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 00 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.		
In Eight Towns,	20·5	2·4	625	158	127	0	34	6	3	6	7	5	18	127	33	4		
GLASGOW,	21·0	2·3	296	79	55	0	14	3	1	1	5	8	2	53	62	19	4	
EDINBURGH,	18·8	0·7	108	27	26	0	0	1	0	0	0	3	0	22	4	25	9	0
DUNDEE,	19·7	3·4	63	17	15	0	4	0	0	2	1	4	0	15	2	8	0	0
ABERDEEN,	20·1	1·1	55	17	10	0	0	0	2	0	0	1	0	18	1	16	1	0
LEITH,	17·5	0·0	26	6	5	0	0	0	0	0	0	0	0	7	1	7	0	0
PAISLEY,	21·6	4·1	32	6	10	0	2	1	0	2	0	1	0	6	2	5	3	0
GREENOCK,	29·0	12·0	34	5	5	0	12	1	0	0	0	1	0	8	0	2	1	0
PERTH,	18·6	6·8	11	1	1	0	2	0	0	1	1	0	0	0	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 49.

WEEK ENDING SATURDAY, DECEMBER 8, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 8, 1900, was 20·7 per thousand of estimated population. This rate is 0·7 above that for the corresponding week of last year, but 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 17·2 per thousand; and the highest in Edinburgh, viz., 23·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 151, being 6 below the number for the previous week.

The Mean Temperature was 41°·3, being 0°·8 below that for the week immediately preceding, and 0°·1 below that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 8, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Dec. 8, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mariages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	721	641	318	57·9	27·5	41·3	2·25
GLASGOW, . . .	12,681	743,969	58·668	9·62	349	303	149	57·0	35·7	42·9	2·68
EDINBURGH, . . .	8,804	302,262	34·332	12·76	112	134	67	56·2	33·0	41·7	2·04
DUNDEE, . . .	4,162	167,584	40·265	11·78	64	56	30	54·2	31·8	39·9	1·93
ABERDEEN, . . .	6,795	144,966	21·334	16·19	77	55	21	53·0	27·5	40·6	1·09
LEITH, . . .	2,042	78,509	38·447	12·06	40	26	19	57·9	38·9	43·2	1·83
PAISLEY, . . .	3,538	78,258	22·119	15·90	41	31	15	56·3	36·0	42·3	3·20
GREENOCK, . . .	1,440	60,567	42·060	11·53	31	23	7	52·5	35·0	40·5	3·42
PERTH, . . .	2,122	30,820	14·524	19·62	7	13	10	56·0	30·0	39·5	1·79
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	843	611	332	55·7	26·0	41·4	1·61

Week ending Saturday, DECEMBER 8, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 8, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																									
	From All Causes.		Deaths from All Causes.		Deaths of Infants under One Year of Age.		Deaths of Persons aged 60 Years & upwards.		Deaths from Small-pox.		Deaths from Measles.		Deaths from Scarlet Fever.		Deaths from Diphtheria.		Deaths from Hooping-cough.		Deaths from Fever.		Deaths from Diarrhoea.		Deaths from Group and Laryngitis.		Deaths from Bronchitis, Pneumonia & Pleurisy.		Deaths in Public Institutions.	
	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.		
In Eight Towns,	20·7	2·8	641	130	145	1	15	9	9	31	4	18	0	151	34	135	25	1										
GLASGOW,	21·2	2·9	303	58	58	1	2	5	5	18	4	6	0	80	20	74	13	1										
EDINBURGH,	23·1	3·3	134	22	35	0	9	3	2	2	0	3	0	17	4	38	10	0										
DUNDEE,	17·4	1·6	56	10	16	0	0	0	0	2	0	3	0	13	5	3	0	0										
ABERDEEN,	19·7	3·9	55	10	12	0	4	0	2	2	0	3	0	12	2	10	0	0										
LEITH,	17·2	1·3	26	9	6	0	0	0	0	0	0	2	0	8	3	0	0	0										
PAISLEY,	20·6	2·7	31	6	9	0	0	1	0	2	0	1	0	13	0	6	1	0										
GREENOCK,	19·7	4·3	23	14	4	0	0	0	0	5	0	0	0	7	0	0	0	1										
PERTH,	21·9	0·0	13	1	5	0	0	0	0	0	0	0	0	1	0	4	0	0										

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 9, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																									
	From All Causes.		Deaths of Infants under One Year of Age.		Deaths of Persons aged 60 Years & upwards.		Deaths from Small-pox.		Deaths from Measles.		Deaths from Scarlet Fever.		Deaths from Diphtheria.		Deaths from Hooping-cough.		Deaths from Fever.		Deaths from Diarrhoea.		Deaths from Group and Laryngitis.		Deaths from Bronchitis, Pneumonia & Pleurisy.		Deaths in Public Institutions.			
	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.	From All Causes.	From Seven Zymotic Diseases.		
In Eight Towns,	20·0	2·3	611	153	138	0	28	0	0	8	20	4	8	2	155	25	115	56	13	4								
GLASGOW,	19·7	1·7	278	67	46	0	6	0	3	3	4	8	0	78	14	52	25	7	0									
EDINBURGH,	17·6	0·0	101	28	35	0	0	0	0	0	0	0	0	0	27	3	20	7	0									
DUNDEE,	21·9	4·4	70	25	15	0	7	0	0	0	7	1	0	0	12	5	11	1	0									
ABERDEEN,	20·8	2·9	57	15	19	0	1	0	1	2	1	3	0	10	2	6	1	0										
LEITH,	14·1	0·0	21	8	3	0	0	0	0	0	0	0	0	0	8	0	5	1	0									
PAISLEY,	19·6	4·1	29	2	9	0	1	0	0	1	0	1	0	0	2	1	0	2	1	0	10	0	0	0	0	0		
GREENOCK,	37·6	12·8	44	6	6	0	13	0	1	0	0	1	0	0	16	0	6	2	1	0	0	0	0	0	0	0	0	
PERTH,	18·6	3·4	11	2	5	0	0	0	0	2	0	0	0	0	2	0	0	0	0	0	1	0	0	0	0	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 50.

WEEK ENDING SATURDAY, DECEMBER 15, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 15, 1900, was 19·3 per thousand of estimated population. This rate is 2·2 below that for the corresponding week of last year, and 1·4 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 16·6 per thousand; and the highest in Perth, viz., 28·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 133, being 18 below the number for the previous week.

The Mean Temperature was 47°·6, being 6°·3 above that for the week immediately preceding, and 17°·9 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 15, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Dec. 15, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	874	596	281	59·0	33·5	47·6	1·31
GLASGOW, . . .	12,681	743,969	58·668	9·62	403	282	118	56·5	42·0	48·8	1·40
EDINBURGH, . . .	8,804	302,262	34·332	12·76	127	105	76	55·0	40·3	47·9	0·83
DUNDEE, . . .	4,162	167,584	40·265	11·78	91	62	19	53·7	38·8	46·9	0·49
ABERDEEN, . . .	6,795	144,966	21·334	16·19	86	53	32	52·0	33·5	44·4	0·22
LEITH, . . .	2,042	78,509	38·447	12·06	57	25	12	55·7	43·0	49·5	0·79
PAISLEY, . . .	3,538	78,258	22·119	15·90	42	29	8	53·9	42·2	47·6	2·54
GREENOCK, . . .	1,440	60,567	42·060	11·53	48	23	9	55·0	40·2	48·1	3·32
PERTH, . . .	2,122	30,820	14·524	19·62	20	17	7	59·0	39·0	47·7	0·88
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	939	657	266	45·0	5·0	29·7	0·41

Week ending Saturday, DECEMBER 15, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 15, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																
			Deaths from All Causes.			Deaths of			Deaths from										
	From All Causes.		From Seven Zymotic Diseases.	Infants under One Year of Age.		Persons aged 60 Years & upwards.	Small-pox.		Scarlet Fever.		Diphtheria.		Hooping-cough.		Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.
In Eight Towns,	19·3	2·6	596	127	145	4	16	8	3	33	6	10	3	133	20	117	17	4	
GLASGOW,	19·7	3·3	282	58	56	3	4	4	1	27	4	4	1	56	8	59	9	3	
EDINBURGH,	18·1	1·0	105	24	30	0	3	2	0	1	0	0	1	23	4	26	6	0	
DUNDEE,	19·2	0·6	62	15	16	0	0	0	1	0	0	1	0	18	3	12	0	0	
ABERDEEN,	19·0	5·0	53	10	18	0	9	1	0	0	1	3	0	10	2	9	2	1	
LEITH,	16·6	0·7	25	5	4	0	0	0	0	1	0	0	0	4	0	2	0	0	
PAISLEY,	19·3	3·3	29	7	9	*1	0	1	0	1	1	1	1	8	0	3	0	0	
GREENOCK,	19·7	3·4	23	7	5	0	0	0	0	3	0	1	0	9	3	3	0	0	
PERTH,	28·7	1·7	17	1	7	0	0	0	1	0	0	0	0	5	0	3	0	0	

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 16, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																
			Deaths of			Deaths from													
	From All Causes.		From Seven Zymotic Diseases.	Infants under One Year of Age.		Persons aged 60 Years & upwards.	Small-pox.		Scarlet Fever.		Diphtheria.		Hooping-cough.		Fever.	Diarrhea.	Odynia and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.
In Eight Towns,	21·5	2·7	657	155	151	0	31	7	2	18	6	17	7	165	20	124			
GLASGOW,	22·1	2·6	312	68	57	0	14	3	2	9	4	5	4	85	10	71	9	2	
EDINBURGH,	17·2	1·0	99	22	28	0	0	2	0	1	2	1	1	18	4	27	10	0	
DUNDEE,	21·9	3·1	70	26	15	0	3	0	0	3	0	4	0	21	2	5	0	0	
ABERDEEN,	20·4	2·2	56	10	20	0	0	0	0	1	0	5	0	14	1	6	0	0	
LEITH,	18·1	0·7	27	7	7	0	0	0	0	0	0	1	0	9	1	3	1	0	
PAISLEY,	23·0	5·4	34	6	10	0	6	0	0	0	1	0	0	5	2	3	2	1	
GREENOCK,	32·5	6·8	38	12	6	0	8	0	0	0	0	0	0	10	0	1	0	0	
PERTH,	35·5	8·5	21	4	8	0	0	2	0	3	0	0	0	3	0	8	0	0	

WEEKLY RETURN

BOOK OF STATISTICS OF SCOTLAND AND IRELAND

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 51.

WEEK ENDING SATURDAY, DECEMBER 22, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 22, 1900, was 18·2 per thousand of estimated population. This rate is 4·4 below that for the corresponding week of last year, and 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·3 per thousand; and the highest in Perth, viz., 28·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 107, being 26 below the number for the previous week.

The Mean Temperature was 44°·6, being 3°·0 below that for the week immediately preceding, but 8°·4 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 22, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Dec. 22, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	909	563	281	57·3	32·0	44·6	1·04
GLASGOW, . . .	12,681	743,969	58·668	9·62	416	274	136	56·5	37·9	45·0	1·44
EDINBURGH, . . .	8,804	302,262	34·332	12·76	151	96	67	51·2	36·5	44·3	0·79
DUNDEE, . . .	4,162	167,584	40·265	11·78	87	53	15	55·2	35·3	44·1	0·31
ABERDEEN, . . .	6,795	144,966	21·334	16·19	104	50	35	53·0	32·0	42·1	0·21
LEITH, . . .	2,042	78,509	38·447	12·06	40	17	9	57·3	39·0	46·6	0·50
PAISLEY, . . .	3,538	78,258	22·119	15·90	43	31	9	55·2	37·9	45·8	1·85
GREENOCK, . . .	1,440	60,567	42·060	11·53	54	25	6	55·2	36·2	44·9	2·71
PERTH, . . .	2,122	30,820	14·524	19·62	14	17	4	55·0	32·0	44·0	0·51
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	931	690	285	43·4	23·0	36·2	0·66

Week ending Saturday, DECEMBER 22, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 22, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
	Deaths from All Causes.		Deaths of				Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18·2	2·4	563	121	130	1	12	7	8	26	5	15	4	107	26	118	32	7
GLASGOW,	19·2	3·4	274	54	52	1	2	4	5	22	4	10	3	46	13	62	19	7
EDINBURGH,	16·5	1·5	96	20	26	0	7	1	1	0	0	0	0	21	1	23	6	0
DUNDEE,	16·4	0·9	53	15	12	0	0	0	0	0	0	3	1	11	4	7	0	0
ABERDEEN,	17·9	1·1	50	11	14	0	2	0	0	0	1	0	0	8	3	16	1	0
LEITH,	11·3	2·0	17	2	3	0	1	0	2	0	0	0	0	1	1	0	1	0
PAISLEY,	20·6	3·3	31	8	10	0	0	1	0	2	0	2	0	6	0	4	3	0
GREENOCK,	21·5	2·6	25	9	5	0	0	1	0	2	0	0	0	12	2	2	1	0
PERTH,	28·7	0·0	17	2	8	0	0	0	0	0	0	0	0	2	2	4	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 23, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
	Deaths from All Causes.		Deaths of				Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	22·6	2·8	690	158	172	0	37	8	3	12	10	14	2	181	28	147	37	8
GLASGOW,	23·8	3·0	336	83	77	0	20	5	2	5	5	5	0	100	15	79	18	6
EDINBURGH,	19·5	1·0	112	16	32	0	0	0	1	1	2	2	1	22	4	28	10	1
DUNDEE,	24·7	2·8	79	24	21	0	5	0	0	1	1	2	0	23	4	12	2	0
ABERDEEN,	17·9	1·5	49	7	13	0	0	1	0	0	1	2	0	6	2	11	0	0
LEITH,	19·5	0·0	29	9	7	0	0	0	0	0	0	0	0	8	1	6	1	1
PAISLEY,	24·3	5·4	36	10	9	0	2	0	0	3	0	3	1	9	0	6	3	0
GREENOCK,	24·8	7·7	29	7	7	0	8	1	0	0	0	0	0	9	1	2	0	0
PERTH,	33·8	10·2	20	2	6	0	2	1	0	2	1	0	0	4	1	3	3	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
 IN EIGHT PRINCIPAL TOWNS OF
 SCOTLAND.

By Authority of the Registrar-General.

No. 52.

WEEK ENDING SATURDAY, DECEMBER 29, 1900.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 29, 1900, was 20·6 per thousand of estimated population. This rate is 6·6 below that for the corresponding week of last year, but 2·4 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 8·4 per thousand; and the highest in Greenock, viz., 25·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 119, being 12 above the number for the previous week.

The Mean Temperature was 43°·2, being 1°·4 below that for the week immediately preceding, but 10°·4 above that for the corresponding week of 1899.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 29, 1900, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1900.	Persons to an Acre. 1900.	Proximity in Yards.	Registered during the Week ending Dec. 29, 1900.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,584	1,606,935	38·643	11·97	856	638	532	56·3	28·0	43·2	0·83
GLASGOW, . . .	12,681	743,969	58·668	9·62	382	304	260	55·3	33·0	44·3	1·11
EDINBURGH, . . .	8,804	302,262	34·332	12·76	166	102	107	53·1	35·4	42·3	0·33
DUNDEE, . . .	4,162	167,584	40·265	11·78	91	69	37	54·1	30·2	42·7	0·55
ABERDEEN, . . .	6,795	144,966	21·334	16·19	86	63	53	55·0	28·5	41·0	0·89
LEITH,	2,042	78,509	38·447	12·06	50	31	18	56·3	38·0	45·1	0·26
PAISLEY,	3,538	78,258	22·119	15·90	32	34	22	55·0	34·9	44·3	1·41
GREENOCK, . . .	1,440	60,567	42·060	11·53	27	30	22	55·0	36·5	43·9	1·85
PERTH,	2,122	30,820	14·524	19·62	22	5	13	55·0	28·0	42·3	0·25
Corresponding Week of 1899.—Eight Towns.	41,214	1,587,414	38·516	12·04	944	829	614	45·8	12·0	32·8	0·85

Week ending Saturday, DECEMBER 29, 1900.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 29, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.	The Deaths Registered in the Week include																		
		Deaths from All Causes.			Deaths of			Deaths from												
		From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Phu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Cause	Deaths from Institutions.	
In Eight Towns,	20·6	2·8	638	142	145	3	12	5	9	33	7	18	2	119	20	139	38	1		
GLASGOW,	21·2	3·4	304	60	56	3	1	2	3	28	6	6	1	61	12	66	21	1		
EDINBURGH,	17·5	0·9	102	23	22	0	2	0	2	0	0	1	1	14	5	28	12	0		
DUNDEE,	21·4	2·5	69	13	19	0	0	0	1	2	0	5	0	19	0	18	0	0		
ABERDEEN,	22·6	6·1	63	23	16	0	9	1	2	1	0	4	0	7	2	9	1	0		
LEITH,	20·5	0·7	31	9	10	0	0	0	1	0	0	0	0	4	1	9	2	0		
PAISLEY,	22·6	1·3	34	4	12	0	0	2	0	0	0	0	0	8	0	7	1	0		
GREENOCK,	25·8	3·4	30	9	8	0	0	0	0	2	1	1	0	5	0	2	1	0		
PERTH,	8·4	1·7	5	1	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 30, 1899.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.	Deaths of			Deaths from												
		Deaths from All Causes	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	27·2	2·8	829	161	218	0	31	7	7	17	6	17	0	253	37	136	49	6
GLASGOW, .	27·9	3·2	394	67	93	0	19	4	3	11	4	4	0	131	23	69	23	6
EDINBURGH, .	24·9	0·9	143	27	55	0	0	1	2	1	0	1	0	29	5	30	15	0
DUNDEE, .	25·7	2·5	82	25	15	0	3	0	0	1	0	4	0	32	1	5	1	0
ABERDEEN, .	22·6	1·5	62	7	24	0	0	1	0	0	1	2	0	12	0	15	1	0
LEITH, . . .	20·2	0·0	30	5	8	0	0	0	0	0	0	0	0	7	2	5	0	0
PAISLEY, . . .	41·2	5·4	61	15	12	0	3	0	0	2	1	2	0	23	5	6	5	0
GREENOCK, .	34·2	6·8	40	11	7	0	3	0	1	0	0	4	0	16	1	2	4	0
PERTH, . . .	28·8	11·8	17	4	4	0	3	1	1	2	0	0	0	3	0	4	0	0